

```
In[1]:= SetDirectory["C:\\\\Users\\\\T15Roland\\\\Wiskunde\\\\Bn\\\\HigherRank"];
Once[<< KnotTheory`];
<< Rot.m
(α_+)+ := α"++";
(* this is for cosmetic reasons only *)
```

ParentDirectory: Argument File should be a positive machine-size integer, a nonempty string, or a File specification.

ParentDirectory: Argument File should be a positive machine-size integer, a nonempty string, or a File specification.

ToFileName: String or list of strings expected at position 1 in ToFileName[{File, WikiLink, mathematica}]. [i](#)

ToFileName: String or list of strings expected at position 1 in ToFileName[{File, QuantumGroups}]. [i](#)

Loading KnotTheory` version of September 6, 2014, 13:37:37.2841.

Read more at <http://katlas.org/wiki/KnotTheory>.

Loading Rot.m from <http://drorbn.net/AP/Projects/HigerRank> to compute rotation numbers.

```
In[2]:= r0[1, i_, j_] := p3,j x1,i x2,i -  $\frac{p_{3,j} x_{1,j} x_{2,i}}{T_1}$  (*from r0p*)
r0[-1, i_, j_] := -  $\frac{p_{3,j} x_{1,i} x_{2,i}}{T_1^2 T_2} + \frac{p_{3,j} x_{1,j} x_{2,i}}{T_1 T_2}$ 
r1[1, i_, j_] :=  $\frac{T_2 p_{1,j} p_{2,j} x_{1,i} x_{2,i}}{-1 + T_1 T_2} - \frac{p_{1,j} p_{2,i} x_{1,j} x_{2,i}}{(-1 + T_1) T_1 (-1 + T_1 T_2)} -$ 
 $\frac{p_{1,j} p_{2,j} x_{1,j} x_{2,i}}{(-1 + T_1) T_1} + \frac{p_{1,i} p_{2,j} x_{1,i} x_{2,j}}{(-1 + T_1) (-1 + T_1 T_2)} + p_{1,j} p_{2,i} x_{3,i} - p_{1,j} p_{2,j} x_{3,i} +$ 
 $\frac{p_{3,j} x_{3,i}}{T_1 (-1 + T_1 T_2)} - p_{1,j} p_{3,j} x_{1,i} x_{3,i} + \frac{p_{1,j} p_{3,i} x_{1,j} x_{3,i}}{(-1 + T_1) T_1 (-1 + T_1 T_2)} + \frac{p_{1,j} p_{3,j} x_{1,j} x_{3,i}}{-1 + T_1} -$ 
 $\frac{T_2 p_{2,j} p_{3,j} x_{2,i} x_{3,i}}{T_1} - \frac{p_{2,j} p_{3,i} x_{2,j} x_{3,i}}{T_1 (-1 + T_1 T_2)} - \frac{p_{1,i} p_{3,j} x_{1,i} x_{3,j}}{(-1 + T_1) (-1 + T_1 T_2)} + \frac{T_2 p_{2,j} p_{3,j} x_{2,i} x_{3,j}}{T_1 (-1 + T_1 T_2)}$ 

r1[-1, i_, j_] := 
 $\frac{(-1 + T_2) p_{1,i} p_{2,j} x_{1,i} x_{2,i}}{T_1^2 (-1 + T_1 T_2)} - \frac{(-1 + T_2) p_{1,i} p_{2,j} x_{1,i} x_{2,i}}{(-1 + T_1) T_2 (-1 + T_1 T_2)} + \frac{(-T_1 - T_2 + T_1 T_2) p_{1,j} p_{2,j} x_{1,i} x_{2,i}}{T_1^2 T_2 (-1 + T_1 T_2)} +$ 
 $\frac{p_{1,j} p_{2,i} x_{1,j} x_{2,i}}{(-1 + T_1) T_1 (-1 + T_1 T_2)} + \frac{p_{1,j} p_{2,j} x_{1,j} x_{2,i}}{T_1 (-1 + T_1 T_2)} - \frac{p_{1,i} p_{2,j} x_{1,i} x_{2,j}}{(-1 + T_1) (-1 + T_1 T_2)} + \frac{p_{1,j} p_{2,j} x_{1,i} x_{2,j}}{T_1 (-1 + T_1 T_2)} -$ 
 $\frac{p_{1,j} p_{2,i} x_{3,i}}{T_1} + \frac{p_{1,j} p_{2,j} x_{3,i}}{T_1} - \frac{p_{3,j} x_{3,i}}{T_1 (-1 + T_1 T_2)} - \frac{p_{1,j} p_{3,i} x_{1,i} x_{3,i}}{T_1^2 (-1 + T_1 T_2)} + \frac{p_{1,i} p_{3,j} x_{1,i} x_{3,i}}{(-1 + T_1) T_1 T_2} -$ 
 $\frac{p_{1,j} p_{3,j} x_{1,i} x_{3,i}}{T_1^2 T_2} - \frac{p_{1,j} p_{3,i} x_{1,j} x_{3,i}}{(-1 + T_1) T_1 (-1 + T_1 T_2)} + \frac{(-1 + T_2) p_{2,j} p_{3,i} x_{2,i} x_{3,i}}{T_1 T_2 (-1 + T_1 T_2)} +$ 
 $\frac{p_{2,i} p_{3,j} x_{2,i} x_{3,i}}{T_1^2 T_2} - \frac{(-1 + 2 T_2) p_{2,j} p_{3,j} x_{2,i} x_{3,i}}{T_1^2 T_2} + \frac{p_{2,j} p_{3,i} x_{2,j} x_{3,i}}{T_1 (-1 + T_1 T_2)} -$ 
 $\frac{p_{2,j} p_{3,j} x_{2,j} x_{3,i}}{T_1^2 T_2} + \frac{p_{1,i} p_{3,j} x_{1,i} x_{3,j}}{(-1 + T_1) (-1 + T_1 T_2)} - \frac{p_{1,j} p_{3,j} x_{1,i} x_{3,j}}{T_1 (-1 + T_1 T_2)} - \frac{p_{2,j} p_{3,j} x_{2,i} x_{3,j}}{T_1 (-1 + T_1 T_2)}$ 
```

```
In[1]:= g2px[ε_] := Module[{λ}, Expand[ε /. gα_, i_, j_ :> λ pα, i xα, j] /. λ^k_. :> 1/k!]
```

```
In[2]:= {p*, x*, π*, ξ*} = {π, ξ, p, x}; (u i_)* := (u*) i;
```

```
In[3]:= Zip{}[ε_] := ε;
Zip{ξ_, ss___}[ε_] := (Collect[ε // Zip{ξ}, ξ] /. f_. ξ^d_. :> (D[f, {ξ*, d}])) /. ξ* → 0
```

```
In[4]:= px2g[ε_] := Module[{ps, xs, Q},
  ps = Union[Cases[ε, p__, ∞]];
  xs = Union[Cases[ε, x__, ∞]];
  Q = Sum[pθ*xθ*gθ[[2]], xθ[[2]], pθ[[3]], xθ[[3]]], {pθ, ps}, {xθ, xs}];
  Expand[Zip[ps ∪ xs][ε e^Q] /. gα_, β_, i_, j_ :> If[α === β, gα, i, j, 0]]
]
```

```
In[5]:= R1[1, i_, j_] := Evaluate[px2g[r1[1, i, j]] +
  (Coefficient[r1[1, i, j] /. t : (x | p) :> λ t, λ^3] /. x3, α p1, β p2, γ :> yα, β, γ)];
R1[-1, i_, j_] := Evaluate[px2g[r1[-1, i, j]] +
  (Coefficient[r1[-1, i, j] /. t : (x | p) :> λ t, λ^3] /. x3, α p1, β p2, γ :> yα, β, γ)];
Piv[i_] := -1/(T1 (-1 + T1 T2)) g3, i, i (* - ((-2+T1+T2) (-T1-T2+2 T1 T2) g3, i, i) / ((-1+T1) (-1+T2) (-1+T1 T2)) *)
```

```
In[6]:= Θ[1, i_, j_, α_, β_, γ_] :=
  Evaluate[r0[1, i, j] /. {p3, j_ :> g3, j, α, x1, i_ :> g1, β, i, x2, i_ :> g2, γ, i}] ;
  (* The Θ graph with light (pxx) vertex at (1,i,j) and
  unspecified heavy (xpp) vertex *)
Θ[-1, i_, j_, α_, β_, γ_] :=
  Evaluate[r0[-1, i, j] /. {p3, j_ :> g3, j, α, x1, i_ :> g1, β, i, x2, i_ :> g2, γ, i}] ;
  (* The Θ graph with light (pxx) vertex at (-1,i,j)
  and unspecified heavy (xpp) vertex *)
Θ[1, 5, 8, 21, 22, 23]
```

Out[6]=

$$\frac{g_{1,22,8} g_{2,23,5} g_{3,8,21}}{T_1}$$

```

In[]:= T3 = T1 T2;
CF[E_] := Factor@Together[E];
λ[K_] := Module[{Cs, φ, n, A, s, i, j, k, Δ, G, gEval, Y, yEval, c, λ1},
  {Cs, φ} = Rot[K]; n = Length[Cs];
  A = IdentityMatrix[2 n + 1];
  Cases[Cs, {s_, i_, j_} :> (A[[{i, j}], {i + 1, j + 1}] += {{-T^s T^s - 1}, {0, -1}})];
  Δ = T^{(-Total[φ] - Total[Cs[[All, 1]])/2} Det[A];
  G = Inverse[A];
  gEval[E_] := CF[E] /.
    {g1,α_,β_ :> (G[[α, β]] /. T → T1),
     g2,α_,β_ :> (G[[α, β]] /. T → T2), g3,α_,β_ :> (G[[α, β]] /. T → T3)};
  Y[α_, β_, γ_] :=
    Y[α, β, γ] = Sum[{s, i, j} = c; (* The expectation value of x3,α p1,β p2,γ *)
      θ[s, i, j, α, β, γ],
      {c, Cs}];
  yEval[E_] := E /. yα_,β_,γ_ :> Y[α, β, γ];
  λ1 = Sum[n R1 @@ Cs[[k]] + Sum[n φ[[k]] Pivk;
  {Δ, (1 - T3) (Δ /. T → T1) (Δ /. T → T2) (Δ /. T → T3) λ1} // yEval // gEval // Expand
];
θ[K_] := Module[{L = λ[K]},
  {L[[1]], T1 L[[2]] + (TD[L[[1]], T] /. T → T3) (L[[1]] /. T → T1) (L[[1]] /. T → T2)} // Expand]

```

```
In[*]:= CF[ε_] := Factor@Together[ε];
Nλ[p1_, p2_][K_] := Module[{G1, G2, G3, Δ1, Δ2, Δ3,
  A1, A2, A3, Cs, φ, n, A, s, i, j, k, Δ, G, gEval, Y, yEval, c, λ1},
  {Cs, φ} = Rot[K]; n = Length[Cs];
  A = IdentityMatrix[2 n + 1];
  Cases[Cs, {s_, i_, j_} :> (A[[{i, j}], {i + 1, j + 1}] += {{-T^s T^s - 1}, {0, -1}})];
  A1 = A /. T → p1; A2 = A /. T → p2; A3 = A /. T → p1 p2;
  Δ1 = p1^{(-Total[φ]-Total[Cs[[All,1]])/2 Det[A1];
  Δ2 = p2^{(-Total[φ]-Total[Cs[[All,1]])/2 Det[A2];
  Δ3 = (p1 p2)^{(-Total[φ]-Total[Cs[[All,1]])/2 Det[A3];
  G1 = Inverse[A1]; G2 = Inverse[A2]; G3 = Inverse[A3];
  gEval[ε_] := CF[ε] /.
    {g1,α_,β_ :> G1[[α, β]], g2,α_,β_ :> G2[[α, β]], g3,α_,β_ :> G3[[α, β]]};
  Y[α_, β_, γ_] :=
    Y[α, β, γ] = Sum[{s, i, j} = c; (* The expectation value of x_{3,α}p_{1,β}p_{2,γ}*)
      θ[s, i, j, α, β, γ],
      {c, Cs}] /. {T1 → p1, T2 → p2};
  yEval[ε_] := ε /. yα_,β_,γ_ :> Y[α, β, γ];
  λ1 = Sum[k=1^n R1 @@ Cs[[k]] + Sum[k=1^2n φ[[k]] Piv_k /. {T1 → p1, T2 → p2};
  {Δ1, (1 - p1 p2) Δ1 Δ2 Δ3 λ1} // yEval // gEval // Expand
];

```

```
In[*]:= Rrho1[s_, i_, j_] := s (gji (gj+1,j + gj,j+1 - gij) - gii (gj,j+1 - 1) - 1/2);
ρ[K_] := ρ[K] = Module[{Cs, φ, n, A, s, i, j, k, Δ, G, ρ1},
  {Cs, φ} = Rot[K]; n = Length[Cs];
  A = IdentityMatrix[2 n + 1];
  Cases[Cs, {s_, i_, j_} :> (A[[{i, j}], {i + 1, j + 1}] += {{-T^s T^s - 1}, {0, -1}})];
  Δ = T^{(-Total[φ]-Total[Cs[[All,1]])/2 Det[A];
  G = Inverse[A];
  ρ1 = Sum[k=1^n Rrho1 @@ Cs[[k]] - Sum[k=1^2n φ[[k]] (gkk - 1/2));
  Expand@Together@{Δ, Δ^2 ρ1 /. gα_,β_ :> G[[α, β]]}
];

```

```
In[1]:= ColFun[t_] := If[t > 0, {t, 0, 0}, {0, 0, t}]
Renorm[t_] := If[t == 0, 0, Sign[t] × Log[Abs[t] + 10]]
Poly2Pic[P_] := Module[{e1 = Exponent[P, T1^-1], e2 = Exponent[P, T2^-1], Mat},
  If[P === 0, P, Mat =
    Map[Renorm, Normal@SparseArray[CoefficientRules[T1^{e1+1} T2^{e2+1} P, {T1, T2}]], {2}];
    MatrixPlot[Mat (*, ColorFunction -> (RGBColor[If[#, 0, 0, 1], 0, 0] &) *)]
  ]
]
```

Relation to ρ_1 :

```
In[2]:= CheckRelationTorho1[K_] := Module[{th = θ[K][[2]], rh = ρ[K][[2]]},
  ({th /. {T1 → 1}, th /. {T2 → 1}} + rh) /. T_ → T // Together]

In[3]:= CheckRelationTorho1 /@ AllKnots[{3, 8}]

Out[3]= {{0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}, {0, 0}}
```

Symmetries

```
In[4]:= CheckT12swapsym[K_] := Module[{th = θ[K][[2]], th - (th /. {T1 → T2, T2 → T1})}]
CheckT12swapsym /@ AllKnots[{3, 8}] // Union

Out[4]= {{0}}
```

```
In[5]:= CheckT12swapsym[Knot[11, NonAlternating, 34]]

Out[5]= {0}
```

```
In[6]:= CheckMirr[K_] := Module[{th = θ[K][[2]], thm = θ[Mirror@K][[2]]}, {th + thm}]
CheckMirr /@ AllKnots[{3, 7}] // Union

Out[6]= {{0}}
```

```
In[7]:= CheckMirr[Knot[11, NonAlternating, 34]]

Out[7]= {0}
```

```
In[8]:= CheckT1T2palin[K_] := Module[{th = θ[K][[2]], th - (th /. {T1 → T1^-1, T2 → T2^-1})}]
CheckT1T2palin /@ AllKnots[{3, 8}] // Union

Out[8]= {{0}}
```

Moving to better variables, very similar to Garoufalidis-Kashaev:

$$\mathbf{U} = \mathbf{T}_1 + \mathbf{T}_1^{-1} + \mathbf{T}_2 + \mathbf{T}_2^{-1} + \mathbf{T}_3 + \mathbf{T}_3^{-1} - 2$$

$$v = T_1^{-2} T_2 + T_1^{-2} T_2^{-1} + T_2^{-2} T_1 + T_2^{-2} T_1^{-1} + T_1 T_2^{-1} - T_1^{-1} T_2 - 2$$

```

pp[x_] := x + x-1
u = pp[s] + pp[t] + pp[s t] - 2;
v = pp[s2 t] + pp[s t2] + pp[s t-1] - 2;
Monomialsk_[a_, b_] := Flatten@Table[am bn, {m, 0, k}, {n, 0, k - m}]

```

```
In[*]:= (*This code is not optimal and runs too slowly!*)
ToUV[Q_] :=
Module[{P = Q /. {T1 → s, T2 → t}, deg, degs, degt, ShiftP, UVMons, Coefs, sol, eqs, cr},
If[P == 0, Return[0]];
deg = Exponent[P /. {t → s}, s];
UVMons = Expand[Monomialsdeg[u, v]];
degs = Exponent[P /. s → 1/s, s];
degt = Exponent[P /. t → 1/t, t];

degs = Max@Append[Table[Exponent[μ /. s → 1/s, s], {μ, UVMons}], degs];
degt = Max@Append[Table[Exponent[μ /. t → 1/t, t], {μ, UVMons}], degt];
UVMons = sdegs tdegt UVMons // Expand;
ShiftP = Expand[P sdegs tdegt];

Coefs = Table[fi, {i, 1, Length[UVMons]}];
cr = CoefficientRules[(UVMons.Coefs - ShiftP), {s, t}];
eqs = cr /. {(r_ → w_) :> w == 0};
{sol} =
Solve[eqs, Coefs];

Monomialsdeg[U, V].Coefs /. sol
]

ToUV[-1/T12 - T22 - 1/T12 T22 + 1/T1 T22 + 1/T12 T2 + T1/T2 + T2/T1 + T12 T2 - T22 + T1 T22 - T12 T2]

Renorm[t_] := If[t == 0, 0, Sign[t] × Log[Abs[t] + 10]]
DrawUVPoly[P_] := Module[{Mat},
If[P === 0, Return[P],
Mat = Map[Renorm, Normal@SparseArray[CoefficientRules[UVP, {U, V}]], {2}]];
MatrixPlot[Mat]
]

```

Out[*]=

$$12 - 2U - U^2 + 3V$$

Rolfsen table

```
UVTable = {#, ToUV[θ[#][2]]} & /@ AllKnots[{3, 10}];
Column[%]

Out[*]=
{Knot[3, 1], 12 - 2U - U2 + 3V}
{Knot[4, 1], 0}
{Knot[5, 1], -132 + 110U + 19U2 - 12U3 - 2U4 - 73V + 30UV + 10U2V - 10V2}
{Knot[5, 2], 116 - 24U - 9U2 + 31V}
{Knot[6, 1], -28 + 8U + U2 - 5V}
{Knot[6, 2], 228 - 104U - 21U2 + 8U3 + U4 + 99V - 23UV - 7U2V + 11V2}
```

```

{Knot[6, 3], 0}
{Knot[7, 1], -792 - 1684 U + 526 U2 + 408 U3 - 26 U4 - 30 U5 - 3 U6 -
 94 V - 1086 U V - 5 U2 V + 147 U3 V + 21 U4 V + 110 V2 - 168 U V2 - 42 U2 V2 + 21 V3}
{Knot[7, 2], 488 - 108 U - 36 U2 + 130 V}
{Knot[7, 3], 1708 - 984 U - 227 U2 + 98 U3 + 17 U4 + 865 V - 251 U V - 93 U2 V + 109 V2}
{Knot[7, 4], -1120 + 256 U + 80 U2 - 296 V}
{Knot[7, 5], -2192 + 942 U + 294 U2 - 86 U3 - 17 U4 - 1114 V + 239 U V + 101 U2 V - 141 V2}
{Knot[7, 6], 488 - 242 U - 22 U2 + 14 U3 + U4 + 200 V - 53 U V - 9 U2 V + 19 V2}
{Knot[7, 7], 44 - 14 U - U2 + 7 V}
{Knot[8, 1], -196 + 54 U + 9 U2 - 41 V}
{Knot[8, 2], -1308 + 2520 U - 289 U2 - 430 U3 + 18 U4 + 24 U5 + 2 U6 -
 1221 V + 1358 U V + 110 U2 V - 138 U3 V - 18 U4 V - 360 V2 + 180 U V2 + 48 U2 V2 - 34 V3}
{Knot[8, 3], 0}
{Knot[8, 4], 1252 - 564 U - 133 U2 + 46 U3 + 7 U4 + 567 V - 127 U V - 45 U2 V + 65 V2}
{Knot[8, 5], 2852 - 2466 U - 183 U2 + 404 U3 + 15 U4 - 20 U5 - 2 U6 +
 2101 V - 1211 U V - 248 U2 V + 112 U3 V + 18 U4 V + 515 V2 - 148 U V2 - 50 U2 V2 + 42 V3}
{Knot[8, 6], 1916 - 834 U - 189 U2 + 64 U3 + 9 U4 + 887 V - 195 U V - 63 U2 V + 103 V2}
{Knot[8, 7], -1160 + 926 U + 88 U2 - 152 U3 - 9 U4 + 8 U5 + U6 -
 956 V + 511 U V + 120 U2 V - 49 U3 V - 9 U4 V - 259 V2 + 70 U V2 + 26 U2 V2 - 23 V3}
{Knot[8, 8], 52 - 38 U - 9 U2 + 4 U3 + U4 + 61 V - 17 U V - 7 U2 V + 13 V2}
{Knot[8, 9], 0}
{Knot[8, 10], -1492 + 764 U + 253 U2 - 126 U3 - 22 U4 + 6 U5 + U6 -
 1195 V + 410 U V + 170 U2 V - 36 U3 V - 9 U4 V - 314 V2 + 54 U V2 + 27 U2 V2 - 27 V3}
{Knot[8, 11], 2136 - 966 U - 186 U2 + 70 U3 + 9 U4 + 1008 V - 233 U V - 67 U2 V + 119 V2}
{Knot[8, 12], 0}
{Knot[8, 13], 68 - 44 U - 9 U2 + 4 U3 + U4 + 63 V - 17 U V - 7 U2 V + 13 V2}
{Knot[8, 14], 2480 - 1186 U - 178 U2 + 80 U3 + 9 U4 + 1166 V - 287 U V - 71 U2 V + 135 V2}
{Knot[8, 15], -8732 + 3528 U + 1067 U2 - 290 U3 - 57 U4 - 4629 V + 935 U V + 376 U2 V - 613 V2}
{Knot[8, 16], 2060 - 1350 U - 161 U2 + 184 U3 + 12 U4 - 8 U5 - U6 +
 1583 V - 690 U V - 170 U2 V + 55 U3 V + 10 U4 V + 408 V2 - 89 U V2 - 33 U2 V2 + 35 V3}
{Knot[8, 17], 0}
{Knot[8, 18], 0}
{Knot[8, 19], 4840 + 1188 U - 1410 U2 - 410 U3 + 81 U4 + 36 U5 + 3 U6 +
 2442 V + 1219 U V - 288 U2 V - 192 U3 V - 21 U4 V + 273 V2 + 240 U V2 + 39 U2 V2 - 9 V3}
{Knot[8, 20], 72 - 14 U - 6 U2 + 20 V}
{Knot[8, 21], 388 - 156 U - 31 U2 + 10 U3 + U4 + 159 V - 33 U V - 8 U2 V + 15 V2}
{Knot[9, 1], 27304 + 3244 U - 18946 U2 - 2248 U3 + 3438 U4 + 674 U5 - 171 U6 -
 56 U7 - 4 U8 + 19442 V + 9882 U V - 10085 U2 V - 3721 U3 V + 785 U4 V + 396 U5 V + 36 U6 V +
 4038 V2 + 4520 U V2 - 886 U2 V2 - 864 U3 V2 - 108 U4 V2 + 77 V3 + 564 U V3 + 120 U2 V3 - 36 V4}
{Knot[9, 2], 1400 - 320 U - 100 U2 + 370 V}
{Knot[9, 3], 200 + 16672 U - 3114 U2 - 3642 U3 + 118 U4 + 244 U5 + 25 U6 - 3346 V +
 10150 U V + 611 U2 V - 1255 U3 V - 187 U4 V - 1788 V2 + 1514 U V2 + 410 U2 V2 - 235 V3}

```

$$\left\{ \text{Knot}[9, 4], -6988 + 3756 U + 907 U^2 - 364 U^3 - 63 U^4 - 3493 V + 943 U V + 355 U^2 V - 435 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 5], -4580 + 1080 U + 315 U^2 - 1195 V \right\}$$

$$\left\{ \text{Knot}[9, 6], 11544 - 19152 U + 606 U^2 + 3750 U^3 + 54 U^4 - 226 U^5 - 25 U^6 + 10842 V - 10858 U V - 1583 U^2 V + 1213 U^3 V + 199 U^4 V + 3312 V^2 - 1532 U V^2 - 482 U^2 V^2 + 331 V^3 \right\}$$

$$\left\{ \text{Knot}[9, 7], -9056 + 3710 U + 1162 U^2 - 322 U^3 - 63 U^4 - 4646 V + 949 U V + 395 U^2 V - 595 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 8], 1864 - 870 U - 138 U^2 + 58 U^3 + 7 U^4 + 884 V - 211 U V - 55 U^2 V + 105 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 9], 21576 - 19204 U - 2190 U^2 + 3604 U^3 + 246 U^4 - 202 U^5 - 25 U^6 + 16826 V - 9962 U V - 2475 U^2 V + 1045 U^3 V + 199 U^4 V + 4374 V^2 - 1292 U V^2 - 494 U^2 V^2 + 379 V^3 \right\}$$

$$\left\{ \text{Knot}[9, 10], 18776 - 8672 U - 2410 U^2 + 796 U^3 + 144 U^4 + 9346 V - 2156 U V - 856 U^2 V + 1160 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 11], 7284 - 7086 U + 253 U^2 + 912 U^3 - 35 U^4 - 36 U^5 - 2 U^6 + 4781 V - 3051 U V - 311 U^2 V + 226 U^3 V + 22 U^4 V + 1003 V^2 - 312 U V^2 - 72 U^2 V^2 + 66 V^3 \right\}$$

$$\left\{ \text{Knot}[9, 12], 3348 - 1680 U - 169 U^2 + 100 U^3 + 9 U^4 + 1487 V - 387 U V - 77 U^2 V + 159 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 13], 20488 - 8700 U - 2606 U^2 + 766 U^3 + 144 U^4 + 10346 V - 2190 U V - 892 U^2 V + 1304 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 14], 488 - 274 U + 2 U^2 + 10 U^3 + U^4 + 184 V - 51 U V - 9 U^2 V + 21 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 15], -4348 + 2186 U + 173 U^2 - 118 U^3 - 9 U^4 - 1815 V + 473 U V + 81 U^2 V - 175 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 16], -25832 + 20816 U + 2856 U^2 - 3720 U^3 - 291 U^4 + 198 U^5 + 25 U^6 - 20398 V + 11003 U V + 2888 U^2 V - 1096 U^3 V - 211 U^4 V - 5369 V^2 + 1454 U V^2 + 565 U^2 V^2 - 471 V^3 \right\}$$

$$\left\{ \text{Knot}[9, 17], 3488 - 3052 U + 108 U^2 + 360 U^3 - 14 U^4 - 14 U^5 - U^6 + 2324 V - 1338 U V - 151 U^2 V + 97 U^3 V + 11 U^4 V + 522 V^2 - 148 U V^2 - 38 U^2 V^2 + 39 V^3 \right\}$$

$$\left\{ \text{Knot}[9, 18], -21308 + 8848 U + 2661 U^2 - 758 U^3 - 144 U^4 - 11053 V + 2294 U V + 924 U^2 V - 1432 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 19], -212 + 190 U - 11 U^2 - 10 U^3 - U^4 - 133 V + 51 U V + 9 U^2 V - 21 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 20], -7616 + 5458 U + 366 U^2 - 716 U^3 - 9 U^4 + 28 U^5 + 2 U^6 - 5114 V + 2485 U V + 421 U^2 V - 182 U^3 V - 22 U^4 V - 1129 V^2 + 280 U V^2 + 76 U^2 V^2 - 82 V^3 \right\}$$

$$\left\{ \text{Knot}[9, 21], -5336 + 2758 U + 158 U^2 - 140 U^3 - 9 U^4 - 2136 V + 575 U V + 85 U^2 V - 191 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 22], -3356 + 2638 U - U^2 - 310 U^3 + 5 U^4 + 12 U^5 + U^6 - 2319 V + 1204 U V + 169 U^2 V - 86 U^3 V - 11 U^4 V - 545 V^2 + 140 U V^2 + 39 U^2 V^2 - 43 V^3 \right\}$$

$$\left\{ \text{Knot}[9, 23], -22460 + 9258 U + 2689 U^2 - 760 U^3 - 144 U^4 - 11903 V + 2456 U V + 960 U^2 V - 1576 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 24], 296 - 146 U - 4 U^2 + 6 U^3 + 112 V - 30 U V - 2 U^2 V + 8 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 25], 8508 - 4110 U - 569 U^2 + 266 U^3 + 30 U^4 + 4023 V - 993 U V - 240 U^2 V + 468 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 26], -3172 + 2364 U + 49 U^2 - 268 U^3 - 2 U^4 + 10 U^5 + U^6 - 2279 V + 1106 U V + 179 U^2 V - 75 U^3 V - 11 U^4 V - 562 V^2 + 132 U V^2 + 40 U^2 V^2 - 47 V^3 \right\}$$

$$\left\{ \text{Knot}[9, 27], 76 - 70 U + 17 U^2 + 2 U^3 - U^4 + 7 V - 13 U V + 5 U^2 V - 5 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 28], 2016 - 1572 U - 26 U^2 + 186 U^3 + 5 U^4 - 8 U^5 - U^6 - 1764 V - 879 U V - 156 U^2 V + 64 U^3 V + 11 U^4 V + 519 V^2 - 124 U V^2 - 41 U^2 V^2 + 51 V^3 \right\}$$

$$\left\{ \text{Knot}[9, 29], 2104 - 1572 U - 52 U^2 + 186 U^3 + 7 U^4 - 8 U^5 - U^6 - 1838 V - 881 U V - 167 U^2 V + 64 U^3 V + 11 U^4 V + 535 V^2 - 124 U V^2 - 41 U^2 V^2 + 51 V^3 \right\}$$

$$\left\{ \text{Knot}[9, 30], 44 - 52 U - U^2 + 6 U^3 + 25 V - 17 U V - U^2 V + 2 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 31], 1464 - 1208 U + 22 U^2 + 124 U^3 + 8 U^4 - 6 U^5 - U^6 - 1506 V - 748 U V - 141 U^2 V + 53 U^3 V + 11 U^4 V + 504 V^2 - 116 U V^2 - 42 U^2 V^2 + 55 V^3 \right\}$$

$$\left\{ \text{Knot}[9, 32], -5704 + 4178 U - 10 U^2 - 430 U^3 + 11 U^4 + 14 U^5 + U^6 - 3668 V + 1814 U V + 204 U^2 V - 109 U^3 V - 12 U^4 V - 799 V^2 + 199 U V^2 + 47 U^2 V^2 - 59 V^3 \right\}$$

$$\left\{ \text{Knot}[9, 33], 460 - 220 U - 27 U^2 + 14 U^3 + U^4 + 185 V - 48 U V - 8 U^2 V + 15 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 34], -64 + 110 U - 50 U^2 + 4 U^3 + U^4 - 2 V + 14 U V - 5 U^2 V + V^2 \right\}$$

$$\left\{ \text{Knot}[9, 35], 7416 - 1764 U - 504 U^2 + 1926 V \right\}$$

$$\left\{ \text{Knot}[9, 36], 7852 - 6428 U - 117 U^2 + 830 U^3 - 10 U^4 - 32 U^5 - 2 U^6 + 5129 V - 2803 U V - 383 U^2 V + 204 U^3 V + 22 U^4 V + 1086 V^2 - 296 U V^2 - 74 U^2 V^2 + 74 V^3 \right\}$$

$$\left\{ \text{Knot}[9, 37], -324 + 220 U - 5 U^2 - 10 U^3 - U^4 - 159 V + 51 U V + 9 U^2 V - 21 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 38], -43528 + 17998 U + 5092 U^2 - 1456 U^3 - 270 U^4 - 22868 V + 4732 U V + 1815 U^2 V - 3002 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 39], -11232 + 5794 U + 502 U^2 - 334 U^3 - 30 U^4 - 5034 V + 1334 U V + 259 U^2 V - 544 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 40], 8468 - 6454 U + 235 U^2 + 600 U^3 - 30 U^4 - 18 U^5 - U^6 + 5317 V - 2760 U V - 198 U^2 V + 148 U^3 V + 13 U^4 V + 1100 V^2 - 290 U V^2 - 55 U^2 V^2 + 75 V^3 \right\}$$

$$\left\{ \text{Knot}[9, 41], -892 + 604 U - 13 U^2 - 28 U^3 - 3 U^4 - 441 V + 143 U V + 27 U^2 V - 63 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 42], -144 + 92 U + 12 U^2 - 8 U^3 - U^4 - 60 V + 20 U V + 6 U^2 V - 7 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 43], -1032 - 2340 U + 866 U^2 + 438 U^3 - 55 U^4 - 28 U^5 - 2 U^6 - 6 V - 1460 U V + 53 U^2 V + 164 U^3 V + 18 U^4 V + 169 V^2 - 212 U V^2 - 46 U^2 V^2 + 26 V^3 \right\}$$

$$\left\{ \text{Knot}[9, 44], 92 - 10 U - 11 U^2 + 27 V + U V \right\}$$

$$\left\{ \text{Knot}[9, 45], 1216 - 512 U - 52 U^2 + 22 U^3 + U^4 + 412 V - 86 U V - 10 U^2 V + 23 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 46], -84 + 24 U + 3 U^2 - 15 V \right\}$$

$$\left\{ \text{Knot}[9, 47], -1704 + 1864 U - 148 U^2 - 250 U^3 + 12 U^4 + 12 U^5 + U^6 - 1246 V + 902 U V + 90 U^2 V - 79 U^3 V - 10 U^4 V - 314 V^2 + 113 U V^2 + 31 U^2 V^2 - 27 V^3 \right\}$$

$$\left\{ \text{Knot}[9, 48], -1292 + 636 U + 29 U^2 - 28 U^3 - U^4 - 445 V + 115 U V + 11 U^2 V - 27 V^2 \right\}$$

$$\left\{ \text{Knot}[9, 49], 7624 - 3364 U - 986 U^2 + 304 U^3 + 57 U^4 + 3774 V - 830 U V - 339 U^2 V + 465 V^2 \right\}$$

$$\left\{ \text{Knot}[10, 1], -712 + 192 U + 36 U^2 - 158 V \right\}$$

$$\left\{ \text{Knot}[10, 2], -27368 - 20240 U + 22594 U^2 + 5298 U^3 - 3592 U^4 - 788 U^5 + 153 U^6 + 48 U^7 + 3 U^8 - 15110 V - 22936 U V + 9961 U^2 V + 5240 U^3 V - 646 U^4 V - 393 U^5 V - 33 U^6 V - 1294 V^2 - 7558 U V^2 + 365 U^2 V^2 + 996 U^3 V^2 + 123 U^4 V^2 + 469 V^3 - 771 U V^3 - 174 U^2 V^3 + 69 V^4 \right\}$$

$$\left\{ \text{Knot}[10, 3], -820 + 216 U + 45 U^2 - 191 V \right\}$$

$$\left\{ \text{Knot}[10, 4], 3052 - 1366 U - 333 U^2 + 112 U^3 + 18 U^4 + 1375 V - 304 U V - 112 U^2 V + 156 V^2 \right\}$$

$$\left\{ \text{Knot}[10, 5], -1540 - 15176 U + 6661 U^2 + 3966 U^3 - 1102 U^4 - 482 U^5 + 34 U^6 + 24 U^7 + 2 U^8 + 1741 V - 14850 U V + 2390 U^2 V + 3120 U^3 V - 74 U^4 V - 206 U^5 V - 22 U^6 V + 2188 V^2 - 4734 U V^2 - 342 U^2 V^2 + 568 U^3 V^2 + 86 U^4 V^2 + 678 V^3 - 494 U V^3 - 136 U^2 V^3 + 66 V^4 \right\}$$

$$\left\{ \text{Knot}[10, 6], -14976 + 20686 U - 1208 U^2 - 3466 U^3 + 63 U^4 + 188 U^5 + 17 U^6 - 12566 V + 11001 U V + 1280 U^2 V - 1093 U^3 V - 153 U^4 V - 3459 V^2 + 1450 U V^2 + 416 U^2 V^2 - 313 V^3 \right\}$$

$$\left\{ \text{Knot}[10, 7], 8668 - 3994 U - 713 U^2 + 280 U^3 + 36 U^4 + 4199 V - 986 U V - 274 U^2 V + 506 V^2 \right\}$$

$$\left\{ \text{Knot}[10, 8], -6352 + 14676 U - 1626 U^2 - 2710 U^3 + 74 U^4 + 160 U^5 + 15 U^6 - 6560 V + 8274 U V + 743 U^2 V - 895 U^3 V - 127 U^4 V - 2104 V^2 + 1154 U V^2 + 320 U^2 V^2 - 215 V^3 \right\}$$

$$\left\{ \text{Knot}[10, 9], -6872 + 10114 U - 1140 U^2 - 2558 U^3 + 337 U^4 + 272 U^5 - 9 U^6 - 12 U^7 - U^8 - 7476 V + 8325 U V + 280 U^2 V - 1618 U^3 V - 50 U^4 V + 97 U^5 V + 11 U^6 V - 3075 V^2 + 2286 U V^2 + 419 U^2 V^2 - 252 U^3 V^2 - 43 U^4 V^2 - 565 V^3 + 209 U V^3 + 70 U^2 V^3 - 39 V^4 \right\}$$

$$\left\{ \text{Knot}[10, 10], 1368 - 710 U - 114 U^2 + 50 U^3 + 9 U^4 + 832 V - 207 U V - 67 U^2 V + 129 V^2 \right\}$$

$$\begin{aligned} & \{ \text{Knot}[10, 11], 11920 - 5064 U - 1286 U^2 + 402 U^3 + 64 U^4 + 5652 V - 1198 U V - 428 U^2 V + 672 V^2 \} \\ & \{ \text{Knot}[10, 12], -11576 + 8554 U + 1148 U^2 - 1414 U^3 - 105 U^4 + 72 U^5 + 9 U^6 - \\ & \quad 9204 V + 4565 U V + 1186 U^2 V - 429 U^3 V - 81 U^4 V - 2423 V^2 + 606 U V^2 + 234 U^2 V^2 - 211 V^3 \} \\ & \{ \text{Knot}[10, 13], -1992 + 898 U + 26 U^2 - 24 U^3 - U^4 - 584 V + 117 U V + 11 U^2 V - 29 V^2 \} \\ & \{ \text{Knot}[10, 14], -35020 + 31044 U + 467 U^2 - 4474 U^3 + 8 U^4 + 204 U^5 + 17 U^6 - 25189 V + \\ & \quad 14920 U V + 2287 U^2 V - 1261 U^3 V - 169 U^4 V - 5998 V^2 + 1778 U V^2 + 520 U^2 V^2 - 473 V^3 \} \\ & \{ \text{Knot}[10, 15], -8456 + 7650 U + 360 U^2 - 1238 U^3 - 39 U^4 + 64 U^5 + 7 U^6 - \\ & \quad 6664 V + 4037 U V + 774 U^2 V - 383 U^3 V - 63 U^4 V - 1735 V^2 + 530 U V^2 + 178 U^2 V^2 - 149 V^3 \} \\ & \{ \text{Knot}[10, 16], -12400 + 5264 U + 1298 U^2 - 408 U^3 - 64 U^4 - 5964 V + 1268 U V + 440 U^2 V - 720 V^2 \} \\ & \{ \text{Knot}[10, 17], 0 \} \\ & \{ \text{Knot}[10, 18], 13316 - 6032 U - 1231 U^2 + 446 U^3 + 64 U^4 + 6659 V - 1526 U V - 468 U^2 V + 832 V^2 \} \\ & \{ \text{Knot}[10, 19], 11168 - 9860 U - 220 U^2 + 1452 U^3 + 18 U^4 - 70 U^5 - 7 U^6 + \\ & \quad 8556 V - 5000 U V - 863 U^2 V + 441 U^3 V + 67 U^4 V + 2168 V^2 - 632 U V^2 - 202 U^2 V^2 + 181 V^3 \} \\ & \{ \text{Knot}[10, 20], 7352 - 3168 U - 744 U^2 + 244 U^3 + 36 U^4 + 3506 V - 762 U V - 252 U^2 V + 418 V^2 \} \\ & \{ \text{Knot}[10, 21], -22128 + 25450 U - 1048 U^2 - 3950 U^3 + 79 U^4 + 200 U^5 + 17 U^6 - 17270 V + \\ & \quad 12945 U V + 1588 U^2 V - 1201 U^3 V - 161 U^4 V - 4443 V^2 + 1630 U V^2 + 464 U^2 V^2 - 377 V^3 \} \\ & \{ \text{Knot}[10, 22], 1512 - 910 U - 260 U^2 + 166 U^3 + 21 U^4 - 8 U^5 - U^6 + \\ & \quad 1148 V - 455 U V - 170 U^2 V + 43 U^3 V + 9 U^4 V + 293 V^2 - 58 U V^2 - 26 U^2 V^2 + 25 V^3 \} \\ & \{ \text{Knot}[10, 23], -14076 + 9486 U + 1477 U^2 - 1470 U^3 - 126 U^4 + 70 U^5 + 9 U^6 - \\ & \quad 11243 V + 5020 U V + 1393 U^2 V - 439 U^3 V - 85 U^4 V - 2970 V^2 + 660 U V^2 + 262 U^2 V^2 - 259 V^3 \} \\ & \{ \text{Knot}[10, 24], 17908 - 8096 U - 1581 U^2 + 582 U^3 + 80 U^4 + 8815 V - 2022 U V - 596 U^2 V + 1080 V^2 \} \\ & \{ \text{Knot}[10, 25], -37656 + 26548 U + 3002 U^2 - 3904 U^3 - 190 U^4 + 172 U^5 + 17 U^6 - 27494 V + \\ & \quad 13006 U V + 2923 U^2 V - 1069 U^3 V - 169 U^4 V - 6666 V^2 + 1586 U V^2 + 536 U^2 V^2 - 537 V^3 \} \\ & \{ \text{Knot}[10, 26], 1320 - 786 U - 264 U^2 + 160 U^3 + 21 U^4 - 8 U^5 - U^6 + \\ & \quad 1032 V - 417 U V - 166 U^2 V + 43 U^3 V + 9 U^4 V + 277 V^2 - 58 U V^2 - 26 U^2 V^2 + 25 V^3 \} \\ & \{ \text{Knot}[10, 27], 16308 - 11020 U - 1493 U^2 + 1602 U^3 + 122 U^4 - 72 U^5 - 9 U^6 + \\ & \quad 13035 V - 5796 U V - 1505 U^2 V + 477 U^3 V + 89 U^4 V + 3470 V^2 - 762 U V^2 - 290 U^2 V^2 + 307 V^3 \} \\ & \{ \text{Knot}[10, 28], 1808 - 1016 U - 194 U^2 + 86 U^3 + 16 U^4 + 1284 V - 338 U V - 116 U^2 V + 216 V^2 \} \\ & \{ \text{Knot}[10, 29], 13404 - 9146 U - 205 U^2 + 906 U^3 - 21 U^4 - 24 U^5 - U^6 + \\ & \quad 7311 V - 3347 U V - 366 U^2 V + 175 U^3 V + 13 U^4 V + 1249 V^2 - 290 U V^2 - 52 U^2 V^2 + 63 V^3 \} \\ & \{ \text{Knot}[10, 30], 23340 - 11634 U - 1405 U^2 + 730 U^3 + 80 U^4 + 11123 V - 2822 U V - 652 U^2 V + 1304 V^2 \} \\ & \{ \text{Knot}[10, 31], -252 + 176 U - 15 U^2 - 6 U^3 - 125 V + 42 U V + 4 U^2 V - 16 V^2 \} \\ & \{ \text{Knot}[10, 32], -96 + 164 U + 176 U^2 - 116 U^3 - 16 U^4 + 8 U^5 + U^6 - \\ & \quad 492 V + 276 U V + 131 U^2 V - 43 U^3 V - 9 U^4 V - 220 V^2 + 58 U V^2 + 26 U^2 V^2 - 25 V^3 \} \\ & \{ \text{Knot}[10, 33], 0 \} \\ & \{ \text{Knot}[10, 34], 1036 - 504 U - 129 U^2 + 44 U^3 + 9 U^4 + 697 V - 165 U V - 63 U^2 V + 113 V^2 \} \\ & \{ \text{Knot}[10, 35], 1384 - 742 U + 10 U^2 + 24 U^3 + U^4 + 436 V - 117 U V - 11 U^2 V + 29 V^2 \} \\ & \{ \text{Knot}[10, 36], 11224 - 5552 U - 660 U^2 + 344 U^3 + 36 U^4 + 5226 V - 1322 U V - 296 U^2 V + 594 V^2 \} \\ & \{ \text{Knot}[10, 37], 0 \} \\ & \{ \text{Knot}[10, 38], 19528 - 9164 U - 1528 U^2 + 628 U^3 + 80 U^4 + 9562 V - 2280 U V - 616 U^2 V + 1160 V^2 \} \end{aligned}$$

$$\begin{aligned} & \left\{ \text{Knot}[10, 39], -36532 + 28850U + 1763U^2 - 4194U^3 - 92U^4 + 188U^5 + 17U^6 - 26393V + 13966UV + 2609U^2V - 1165U^3V - 169U^4V - 6332V^2 + 1682UV^2 + 528U^2V^2 - 505V^3 \right\} \\ & \left\{ \text{Knot}[10, 40], -15024 + 9324U + 1798U^2 - 1400U^3 - 156U^4 + 64U^5 + 9U^6 - 12616V + 5176UV + 1571U^2V - 429U^3V - 89U^4V - 3508V^2 + 714UV^2 + 294U^2V^2 - 323V^3 \right\} \\ & \left\{ \text{Knot}[10, 41], 9880 - 7166U + 114U^2 + 682U^3 - 29U^4 - 20U^5 - U^6 + 5784V - 2885UV - 238U^2V + 157U^3V + 13U^4V + 1119V^2 - 290UV^2 - 54U^2V^2 + 71V^3 \right\} \\ & \left\{ \text{Knot}[10, 42], -1340 + 692U + 85U^2 - 44U^3 - 6U^4 - 729V + 186UV + 48U^2V - 98V^2 \right\} \\ & \left\{ \text{Knot}[10, 43], 0 \right\} \\ & \left\{ \text{Knot}[10, 44], 6092 - 5434U + 553U^2 + 472U^3 - 39U^4 - 16U^5 - U^6 + 4179V - 2501UV - 100U^2V + 139U^3V + 13U^4V + 981V^2 - 290UV^2 - 56U^2V^2 + 79V^3 \right\} \\ & \left\{ \text{Knot}[10, 45], 0 \right\} \\ & \left\{ \text{Knot}[10, 46], 96 + 29438U - 13068U^2 - 7214U^3 + 2296U^4 + 842U^5 - 86U^6 - 42U^7 - 3U^8 - 6182V + 26052UV - 4254U^2V - 5261U^3V + 215U^4V + 342U^5V + 33U^6V - 4608V^2 + 7471UV^2 + 527U^2V^2 - 876U^3V^2 - 126U^4V^2 - 1136V^3 + 699UV^3 + 192U^2V^3 - 93V^4 \right\} \\ & \left\{ \text{Knot}[10, 47], 7756 - 16052U + 1935U^2 + 4266U^3 - 389U^4 - 468U^5 - 3U^6 + 20U^7 + 2U^8 + 9957V - 14581UV - 449U^2V + 2902U^3V + 156U^4V - 172U^5V - 22U^6V + 4809V^2 - 4419UV^2 - 805U^2V^2 + 488U^3V^2 + 88U^4V^2 + 1029V^3 - 446UV^3 - 148U^2V^3 + 82V^4 \right\} \\ & \left\{ \text{Knot}[10, 48], 512 - 972U + 86U^2 + 174U^3 - 3U^4 - 10U^5 - U^6 + 428V - 525UV - 48U^2V + 56U^3V + 8U^4V + 119V^2 - 71UV^2 - 19U^2V^2 + 11V^3 \right\} \\ & \left\{ \text{Knot}[10, 49], 86992 - 76830U - 6966U^2 + 13398U^3 + 750U^4 - 712U^5 - 84U^6 + 69226V - 40836UV - 9238U^2V + 4041U^3V + 724U^4V + 18342V^2 - 5421UV^2 - 1964U^2V^2 + 1618V^3 \right\} \\ & \left\{ \text{Knot}[10, 50], 30460 - 23056U - 2349U^2 + 3560U^3 + 169U^4 - 166U^5 - 17U^6 + 22393V - 11346UV - 2530U^2V + 988U^3V + 161U^4V + 5473V^2 - 1390UV^2 - 481U^2V^2 + 445V^3 \right\} \\ & \left\{ \text{Knot}[10, 51], -14704 + 7072U + 2628U^2 - 1142U^3 - 226U^4 + 52U^5 + 9U^6 - 12120V + 3909UV + 1715U^2V - 326U^3V - 85U^4V - 3292V^2 + 532UV^2 + 271U^2V^2 - 295V^3 \right\} \\ & \left\{ \text{Knot}[10, 52], -13404 + 8546U + 1411U^2 - 1258U^3 - 110U^4 + 56U^5 + 7U^6 - 10131V + 4293UV + 1195U^2V - 354U^3V - 67U^4V - 2534V^2 + 536UV^2 + 209U^2V^2 - 209V^3 \right\} \\ & \left\{ \text{Knot}[10, 53], -81748 + 34626U + 9007U^2 - 2704U^3 - 483U^4 - 43397V + 9204UV + 3348U^2V - 5757V^2 \right\} \\ & \left\{ \text{Knot}[10, 54], -10360 + 7478U + 994U^2 - 1190U^3 - 85U^4 + 58U^5 + 7U^6 - 7828V + 3808UV + 965U^2V - 344U^3V - 63U^4V - 1955V^2 + 482UV^2 + 181U^2V^2 - 161V^3 \right\} \\ & \left\{ \text{Knot}[10, 55], -48600 + 20532U + 5380U^2 - 1602U^3 - 290U^4 - 25962V + 5489UV + 2010U^2V - 3466V^2 \right\} \\ & \left\{ \text{Knot}[10, 56], 37896 - 26396U - 3132U^2 + 3874U^3 + 202U^4 - 170U^5 - 17U^6 + 27614V - 12889UV - 2962U^2V + 1056U^3V + 169U^4V + 6696V^2 - 1570UV^2 - 537U^2V^2 + 541V^3 \right\} \\ & \left\{ \text{Knot}[10, 57], -14104 + 7556U + 2204U^2 - 1166U^3 - 200U^4 + 54U^5 + 9U^6 - 12362V + 4455UV + 1670U^2V - 368U^3V - 89U^4V - 3580V^2 + 650UV^2 + 299U^2V^2 - 343V^3 \right\} \\ & \left\{ \text{Knot}[10, 58], -3036 + 1660U - 15U^2 - 58U^3 - 3U^4 - 1049V + 287UV + 32U^2V - 83V^2 \right\} \\ & \left\{ \text{Knot}[10, 59], -8004 + 6268U - 293U^2 - 582U^3 + 32U^4 + 18U^5 + U^6 - 5063V + 2702UV + 182U^2V - 148U^3V - 13U^4V - 1070V^2 + 290UV^2 + 55U^2V^2 - 75V^3 \right\} \\ & \left\{ \text{Knot}[10, 60], -652 + 454U - 53U^2 - 8U^3 - U^4 - 231V + 75UV + 10U^2V - 29V^2 \right\} \\ & \left\{ \text{Knot}[10, 61], 12748 - 14976U - 115U^2 + 2658U^3 + 46U^4 - 146U^5 - 15U^6 + 10241V - 7846UV - 1284U^2V + 800U^3V + 127U^4V + 2736V^2 - 1026UV^2 - 327U^2V^2 + 243V^3 \right\} \end{aligned}$$

$$\{ \text{Knot } [10, 62], 17108 - 19374 U - 65 U^2 + 4804 U^3 - 236 U^4 - 488 U^5 - 7 U^6 + 20 U^7 + 2 U^8 + 18373 V - 15806 U V - 2036 U^2 V + 2952 U^3 V + 237 U^4 V - 166 U^5 V - 22 U^6 V + 7416 V^2 - 4300 U V^2 - 1101 U^2 V^2 + 448 U^3 V^2 + 88 U^4 V^2 + 1333 V^3 - 390 U V^3 - 150 U^2 V^3 + 90 V^4 \}$$

$$\{ \text{Knot } [10, 63], -46488 + 19336 U + 5434 U^2 - 1568 U^3 - 290 U^4 - 24530 V + 5108 U V + 1952 U^2 V - 3234 V^2 \}$$

$$\{ \text{Knot } [10, 64], -18172 + 12658 U + 2635 U^2 - 3008 U^3 - 128 U^4 + 274 U^5 + 12 U^6 - 10 U^7 - U^8 - 16767 V + 8796 U V + 2631 U^2 V - 1520 U^3 V - 208 U^4 V + 77 U^5 V + 11 U^6 V - 5792 V^2 + 2036 U V^2 + 800 U^2 V^2 - 192 U^3 V^2 - 44 U^4 V^2 - 888 V^3 + 157 U V^3 + 77 U^2 V^3 - 51 V^4 \}$$

$$\{ \text{Knot } [10, 65], -14436 + 8180 U + 2117 U^2 - 1292 U^3 - 182 U^4 + 60 U^5 + 9 U^6 - 11751 V + 4412 U V + 1576 U^2 V - 376 U^3 V - 85 U^4 V - 3154 V^2 + 588 U V^2 + 267 U^2 V^2 - 279 V^3 \}$$

$$\{ \text{Knot } [10, 66], 120540 - 76232 U - 16785 U^2 + 12766 U^3 + 1447 U^4 - 620 U^5 - 84 U^6 + 93005 V - 39261 U V - 12768 U^2 V + 3580 U^3 V + 750 U^4 V + 23887 V^2 - 5048 U V^2 - 2174 U^2 V^2 + 2042 V^3 \}$$

$$\{ \text{Knot } [10, 67], 21568 - 10440 U - 1474 U^2 + 680 U^3 + 80 U^4 + 10408 V - 2562 U V - 636 U^2 V + 1240 V^2 \}$$

$$\{ \text{Knot } [10, 68], -2156 + 1256 U + 173 U^2 - 94 U^3 - 16 U^4 - 1425 V + 388 U V + 120 U^2 V - 232 V^2 \}$$

$$\{ \text{Knot } [10, 69], -6656 + 6250 U - 1044 U^2 - 370 U^3 + 49 U^4 + 12 U^5 + U^6 - 4154 V + 2621 U V - 6 U^2 V - 121 U^3 V - 13 U^4 V - 961 V^2 + 290 U V^2 + 58 U^2 V^2 - 87 V^3 \}$$

$$\{ \text{Knot } [10, 70], -11560 + 8094 U + 36 U^2 - 788 U^3 + 26 U^4 + 22 U^5 + U^6 - 6512 V + 3103 U V + 297 U^2 V - 166 U^3 V - 13 U^4 V - 1180 V^2 + 290 U V^2 + 53 U^2 V^2 - 67 V^3 \}$$

$$\{ \text{Knot } [10, 71], -912 + 396 U + 94 U^2 - 30 U^3 - 5 U^4 - 476 V + 104 U V + 35 U^2 V - 61 V^2 \}$$

$$\{ \text{Knot } [10, 72], 46192 - 34754 U - 2222 U^2 + 4802 U^3 + 88 U^4 - 202 U^5 - 17 U^6 + 32770 V - 16559 U V - 2990 U^2 V + 1298 U^3 V + 177 U^4 V + 7690 V^2 - 1958 U V^2 - 583 U^2 V^2 + 597 V^3 \}$$

$$\{ \text{Knot } [10, 73], 7416 - 6250 U + 692 U^2 + 452 U^3 - 40 U^4 - 14 U^5 - U^6 + 4648 V - 2659 U V - 77 U^2 V + 130 U^3 V + 13 U^4 V + 1024 V^2 - 290 U V^2 - 57 U^2 V^2 + 83 V^3 \}$$

$$\{ \text{Knot } [10, 74], 20648 - 10048 U - 1452 U^2 + 668 U^3 + 80 U^4 + 10102 V - 2500 U V - 632 U^2 V + 1224 V^2 \}$$

$$\{ \text{Knot } [10, 75], -68 - 96 U + 35 U^2 + 2 U^3 + 2 U^4 + 77 V - 38 U V - 16 U^2 V + 36 V^2 \}$$

$$\{ \text{Knot } [10, 76], 32872 - 21276 U - 3740 U^2 + 3312 U^3 + 275 U^4 - 150 U^5 - 17 U^6 + 24090 V - 10441 U V - 2908 U^2 V + 888 U^3 V + 161 U^4 V + 5875 V^2 - 1278 U V^2 - 489 U^2 V^2 + 477 V^3 \}$$

$$\{ \text{Knot } [10, 77], -14236 + 8094 U + 2119 U^2 - 1292 U^3 - 182 U^4 + 60 U^5 + 9 U^6 - 11579 V + 4376 U V + 1568 U^2 V - 376 U^3 V - 85 U^4 V - 3122 V^2 + 588 U V^2 + 267 U^2 V^2 - 279 V^3 \}$$

$$\{ \text{Knot } [10, 78], -18756 + 12582 U + 589 U^2 - 1372 U^3 + 7 U^4 + 44 U^5 + 2 U^6 - 11881 V + 5487 U V + 668 U^2 V - 320 U^3 V - 26 U^4 V - 2351 V^2 + 572 U V^2 + 106 U^2 V^2 - 138 V^3 \}$$

$$\{ \text{Knot } [10, 79], 0 \}$$

$$\{ \text{Knot } [10, 80], 106640 - 80318 U - 11148 U^2 + 13504 U^3 + 1022 U^4 - 682 U^5 - 84 U^6 + 84006 V - 42337 U V - 11066 U^2 V + 3989 U^3 V + 750 U^4 V + 22026 V^2 - 5572 U V^2 - 2144 U^2 V^2 + 1922 V^3 \}$$

$$\{ \text{Knot } [10, 81], 0 \}$$

$$\{ \text{Knot } [10, 82], 15424 - 15076 U - 340 U^2 + 3436 U^3 - 199 U^4 - 316 U^5 + 2 U^6 + 12 U^7 + U^8 + 15700 V - 11829 U V - 1529 U^2 V + 2013 U^3 V + 129 U^4 V - 104 U^5 V - 12 U^6 V + 5969 V^2 - 3073 U V^2 - 747 U^2 V^2 + 292 U^3 V^2 + 52 U^4 V^2 + 1004 V^3 - 264 U V^3 - 96 U^2 V^3 + 63 V^4 \}$$

$$\{ \text{Knot } [10, 83], -21208 + 14230 U + 1506 U^2 - 1882 U^3 - 107 U^4 + 78 U^5 + 9 U^6 - 16372 V + 7258 U V + 1656 U^2 V - 549 U^3 V - 94 U^4 V - 4239 V^2 + 931 U V^2 + 325 U^2 V^2 - 367 V^3 \}$$

$$\{ \text{Knot } [10, 84], -18696 + 12188 U + 1600 U^2 - 1644 U^3 - 131 U^4 + 70 U^5 + 9 U^6 - 15334 V + 6588 U V + 1655 U^2 V - 503 U^3 V - 94 U^4 V - 4197 V^2 + 891 U V^2 + 329 U^2 V^2 - 383 V^3 \}$$

$$\begin{aligned} & \left\{ \text{Knot } [10, 85], -18412 + 27860 U - 4601 U^2 - 5840 U^3 + 971 U^4 + 562 U^5 - 26 U^6 - 24 U^7 - 2 U^8 - 20445 V + 23023 U V - 45 U^2 V - 3944 U^3 V - 63 U^4 V + 220 U^5 V + 24 U^6 V - 8577 V^2 + 6378 U V^2 + 1015 U^2 V^2 - 644 U^3 V^2 - 104 U^4 V^2 - 1610 V^3 + 592 U V^3 + 188 U^2 V^3 - 114 V^4 \right\} \\ & \left\{ \text{Knot } [10, 86], 796 - 442 U - 237 U^2 + 130 U^3 + 20 U^4 - 8 U^5 - U^6 + 971 V - 413 U V - 169 U^2 V + 49 U^3 V + 10 U^4 V + 344 V^2 - 79 U V^2 - 33 U^2 V^2 + 37 V^3 \right\} \\ & \left\{ \text{Knot } [10, 87], 548 - 266 U - 275 U^2 + 128 U^3 + 22 U^4 - 8 U^5 - U^6 + 945 V - 391 U V - 179 U^2 V + 49 U^3 V + 10 U^4 V + 354 V^2 - 79 U V^2 - 33 U^2 V^2 + 37 V^3 \right\} \\ & \left\{ \text{Knot } [10, 88], 0 \right\} \\ & \left\{ \text{Knot } [10, 89], 14308 - 11342 U + 1137 U^2 + 760 U^3 - 70 U^4 - 20 U^5 - U^6 + 8145 V - 4422 U V - 70 U^2 V + 187 U^3 V + 14 U^4 V + 1526 V^2 - 421 U V^2 - 65 U^2 V^2 + 99 V^3 \right\} \\ & \left\{ \text{Knot } [10, 90], 1788 - 862 U - 323 U^2 + 158 U^3 + 24 U^4 - 8 U^5 - U^6 + 1415 V - 507 U V - 197 U^2 V + 49 U^3 V + 10 U^4 V + 392 V^2 - 79 U V^2 - 33 U^2 V^2 + 37 V^3 \right\} \\ & \left\{ \text{Knot } [10, 91], 768 - 460 U - 202 U^2 + 106 U^3 + 21 U^4 - 6 U^5 - U^6 + 636 V - 257 U V - 129 U^2 V + 30 U^3 V + 8 U^4 V + 171 V^2 - 35 U V^2 - 20 U^2 V^2 + 15 V^3 \right\} \\ & \left\{ \text{Knot } [10, 92], 55132 - 38538 U - 3175 U^2 + 5106 U^3 + 137 U^4 - 204 U^5 - 17 U^6 + 39343 V - 18559 U V - 3461 U^2 V + 1371 U^3 V + 185 U^4 V + 9287 V^2 - 2222 U V^2 - 647 U^2 V^2 + 725 V^3 \right\} \\ & \left\{ \text{Knot } [10, 93], 15996 - 10902 U - 1159 U^2 + 1498 U^3 + 78 U^4 - 64 U^5 - 7 U^6 + 11759 V - 5327 U V - 1217 U^2 V + 421 U^3 V + 70 U^4 V + 2876 V^2 - 651 U V^2 - 227 U^2 V^2 + 233 V^3 \right\} \\ & \left\{ \text{Knot } [10, 94], -16536 + 13442 U + 1934 U^2 - 3136 U^3 - 88 U^4 + 284 U^5 + 13 U^6 - 10 U^7 - U^8 - 16876 V + 10644 U V + 2384 U^2 V - 1792 U^3 V - 208 U^4 V + 88 U^5 V + 12 U^6 V - 6478 V^2 + 2815 U V^2 + 881 U^2 V^2 - 258 U^3 V^2 - 53 U^4 V^2 - 1107 V^3 + 248 U V^3 + 102 U^2 V^3 - 71 V^4 \right\} \\ & \left\{ \text{Knot } [10, 95], -16332 + 9640 U + 1905 U^2 - 1320 U^3 - 177 U^4 + 58 U^5 + 9 U^6 - 14225 V + 5529 U V + 1707 U^2 V - 423 U^3 V - 93 U^4 V - 4099 V^2 + 788 U V^2 + 327 U^2 V^2 - 391 V^3 \right\} \\ & \left\{ \text{Knot } [10, 96], 2376 - 1388 U + 112 U^2 + 28 U^3 - U^4 + 694 V - 206 U V - 4 U^2 V + 39 V^2 \right\} \\ & \left\{ \text{Knot } [10, 97], -47488 + 24136 U + 2418 U^2 - 1426 U^3 - 145 U^4 - 22036 V + 5692 U V + 1215 U^2 V - 2503 V^2 \right\} \\ & \left\{ \text{Knot } [10, 98], -43604 + 27596 U + 4227 U^2 - 3916 U^3 - 276 U^4 + 164 U^5 + 17 U^6 - 32539 V + 13870 U V + 3446 U^2 V - 1074 U^3 V - 177 U^4 V - 8084 V^2 + 1742 U V^2 + 601 U^2 V^2 - 669 V^3 \right\} \\ & \left\{ \text{Knot } [10, 99], 0 \right\} \\ & \left\{ \text{Knot } [10, 100], -22108 + 23876 U - 803 U^2 - 5112 U^3 + 363 U^4 + 488 U^5 + 3 U^6 - 20 U^7 - 2 U^8 - 23801 V + 20259 U V + 1817 U^2 V - 3450 U^3 V - 216 U^4 V + 188 U^5 V + 24 U^6 V - 9805 V^2 + 5804 U V^2 + 1281 U^2 V^2 - 576 U^3 V^2 - 106 U^4 V^2 - 1829 V^3 + 560 U V^3 + 200 U^2 V^3 - 130 V^4 \right\} \\ & \left\{ \text{Knot } [10, 101], 131716 - 55956 U - 14515 U^2 + 4388 U^3 + 777 U^4 + 69751 V - 14847 U V - 5383 U^2 V + 9229 V^2 \right\} \\ & \left\{ \text{Knot } [10, 102], 1708 - 852 U - 351 U^2 + 168 U^3 + 26 U^4 - 8 U^5 - U^6 + 1433 V - 519 U V - 208 U^2 V + 49 U^3 V + 10 U^4 V + 402 V^2 - 79 U V^2 - 33 U^2 V^2 + 37 V^3 \right\} \\ & \left\{ \text{Knot } [10, 103], 17600 - 10364 U - 2092 U^2 + 1484 U^3 + 170 U^4 - 64 U^5 - 9 U^6 + 14168 V - 5527 U V - 1696 U^2 V + 435 U^3 V + 90 U^4 V + 3784 V^2 - 733 U V^2 - 301 U^2 V^2 + 335 V^3 \right\} \\ & \left\{ \text{Knot } [10, 104], 672 - 724 U - 60 U^2 + 140 U^3 + 9 U^4 - 8 U^5 - U^6 + 516 V - 385 U V - 87 U^2 V + 43 U^3 V + 8 U^4 V + 131 V^2 - 51 U V^2 - 19 U^2 V^2 + 11 V^3 \right\} \\ & \left\{ \text{Knot } [10, 105], -13248 + 10188 U - 534 U^2 - 870 U^3 + 54 U^4 + 24 U^5 + U^6 - 7972 V + 4178 U V + 208 U^2 V - 202 U^3 V - 14 U^4 V - 1530 V^2 + 409 U V^2 + 63 U^2 V^2 - 91 V^3 \right\} \end{aligned}$$

$$\{ \text{Knot}[10, 106], -22308 + 15100 U + 3537 U^2 - 3508 U^3 - 224 U^4 + 302 U^5 + 17 U^6 - 10 U^7 - U^8 - 21511 V + 11140 U V + 3380 U^2 V - 1826 U^3 V - 260 U^4 V + 85 U^5 V + 12 U^6 V - 7772 V^2 + 2738 U V^2 + 1036 U^2 V^2 - 239 U^3 V^2 - 53 U^4 V^2 - 1247 V^3 + 224 U V^3 + 103 U^2 V^3 - 75 V^4 \}$$

$$\{ \text{Knot}[10, 107], -300 + 274 U - 69 U^2 - 2 U^3 + 2 U^4 - 147 V + 82 U V - 8 U^2 V - U^3 V - 18 V^2 + 4 U V^2 \}$$

$$\{ \text{Knot}[10, 108], -15664 + 12044 U + 602 U^2 - 1644 U^3 - 32 U^4 + 72 U^5 + 7 U^6 - 11348 V + 5805 U V + 1076 U^2 V - 469 U^3 V - 70 U^4 V - 2730 V^2 + 699 U V^2 + 223 U^2 V^2 - 217 V^3 \}$$

$$\{ \text{Knot}[10, 109], 0 \}$$

$$\{ \text{Knot}[10, 110], 18524 - 12342 U - 207 U^2 + 1138 U^3 - 30 U^4 - 28 U^5 - U^6 + 10283 V - 4624 U V - 431 U^2 V + 218 U^3 V + 14 U^4 V + 1752 V^2 - 401 U V^2 - 61 U^2 V^2 + 83 V^3 \}$$

$$\{ \text{Knot}[10, 111], 46208 - 31224 U - 3574 U^2 + 4344 U^3 + 206 U^4 - 180 U^5 - 17 U^6 + 33336 V - 15108 U V - 3320 U^2 V + 1166 U^3 V + 177 U^4 V + 7990 V^2 - 1822 U V^2 - 593 U^2 V^2 + 637 V^3 \}$$

$$\{ \text{Knot}[10, 112], 27080 - 26322 U + 172 U^2 + 5230 U^3 - 386 U^4 - 420 U^5 + 8 U^6 + 14 U^7 + U^8 + 26192 V - 19240 U V - 2018 U^2 V + 2868 U^3 V + 141 U^4 V - 129 U^5 V - 13 U^6 V + 9408 V^2 - 4634 U V^2 - 1010 U^2 V^2 + 384 U^3 V^2 + 61 U^4 V^2 + 1486 V^3 - 367 U V^3 - 122 U^2 V^3 + 87 V^4 \}$$

$$\{ \text{Knot}[10, 113], -29604 + 22306 U + 369 U^2 - 2560 U^3 - 6 U^4 + 98 U^5 + 9 U^6 - 21977 V + 11005 U V + 1604 U^2 V - 746 U^3 V - 102 U^4 V - 5526 V^2 + 1371 U V^2 + 383 U^2 V^2 - 471 V^3 \}$$

$$\{ \text{Knot}[10, 114], -2548 + 1704 U + 261 U^2 - 272 U^3 - 13 U^4 + 12 U^5 + U^6 - 2115 V + 974 U V + 216 U^2 V - 80 U^3 V - 11 U^4 V - 553 V^2 + 132 U V^2 + 39 U^2 V^2 - 45 V^3 \}$$

$$\{ \text{Knot}[10, 115], 0 \}$$

$$\{ \text{Knot}[10, 116], 24352 - 21596 U - 912 U^2 + 4342 U^3 - 150 U^4 - 356 U^5 - 3 U^6 + 12 U^7 + U^8 + 24628 V - 16688 U V - 2386 U^2 V + 2507 U^3 V + 183 U^4 V - 114 U^5 V - 13 U^6 V + 9280 V^2 - 4263 U V^2 - 1056 U^2 V^2 + 356 U^3 V^2 + 62 U^4 V^2 + 1541 V^3 - 359 U V^3 - 128 U^2 V^3 + 95 V^4 \}$$

$$\{ \text{Knot}[10, 117], -20468 + 14222 U + 1073 U^2 - 1728 U^3 - 103 U^4 + 72 U^5 + 9 U^6 - 17097 V + 7754 U V + 1626 U^2 V - 554 U^3 V - 98 U^4 V - 4781 V^2 + 1061 U V^2 + 361 U^2 V^2 - 447 V^3 \}$$

$$\{ \text{Knot}[10, 118], 0 \}$$

$$\{ \text{Knot}[10, 119], 736 - 354 U - 276 U^2 + 128 U^3 + 23 U^4 - 8 U^5 - U^6 + 958 V - 370 U V - 185 U^2 V + 48 U^3 V + 10 U^4 V + 349 V^2 - 75 U V^2 - 33 U^2 V^2 + 37 V^3 \}$$

$$\{ \text{Knot}[10, 120], -201652 + 88812 U + 20233 U^2 - 6620 U^3 - 1112 U^4 - 107419 V + 23668 U V + 7982 U^2 V - 14302 V^2 \}$$

$$\{ \text{Knot}[10, 121], 26456 - 19296 U - 570 U^2 + 2158 U^3 + 52 U^4 - 84 U^5 - 9 U^6 + 20762 V - 9944 U V - 1637 U^2 V + 665 U^3 V + 102 U^4 V + 5514 V^2 - 1295 U V^2 - 389 U^2 V^2 + 495 V^3 \}$$

$$\{ \text{Knot}[10, 122], 1768 - 1236 U - 322 U^2 + 262 U^3 + 17 U^4 - 12 U^5 - U^6 + 2042 V - 927 U V - 240 U^2 V + 80 U^3 V + 11 U^4 V + 589 V^2 - 132 U V^2 - 39 U^2 V^2 + 45 V^3 \}$$

$$\{ \text{Knot}[10, 123], 0 \}$$

$$\{ \text{Knot}[10, 124], -76704 + 18278 U + 32916 U^2 - 1800 U^3 - 5258 U^4 - 530 U^5 + 268 U^6 + 64 U^7 + 4 U^8 - 59990 V - 942 U V + 19696 U^2 V + 3292 U^3 V - 1500 U^4 V - 472 U^5 V - 36 U^6 V - 15564 V^2 - 4269 U V^2 + 2536 U^2 V^2 + 1072 U^3 V^2 + 104 U^4 V^2 - 1324 V^3 - 724 U V^3 - 96 U^2 V^3 + 4 V^4 \}$$

$$\{ \text{Knot}[10, 125], 96 + 724 U - 164 U^2 - 152 U^3 + 7 U^4 + 10 U^5 + U^6 - 116 V + 477 U V + 18 U^2 V - 57 U^3 V - 8 U^4 V - 79 V^2 + 75 U V^2 + 19 U^2 V^2 - 11 V^3 \}$$

$$\{ \text{Knot}[10, 126], 812 - 350 U - 185 U^2 + 88 U^3 + 17 U^4 - 6 U^5 - U^6 + 711 V - 227 U V - 123 U^2 V + 29 U^3 V + 8 U^4 V + 203 V^2 - 35 U V^2 - 21 U^2 V^2 + 19 V^3 \}$$

$$\{ \text{Knot}[10, 127], -5244 + 4004 U + 291 U^2 - 568 U^3 - 14 U^4 + 24 U^5 + 2 U^6 - 3577 V + 1824 U V + 345 U^2 V - 145 U^3 V - 20 U^4 V - 798 V^2 + 203 U V^2 + 62 U^2 V^2 - 58 V^3 \}$$

$$\{ \text{Knot}[10, 128], 30468 + 12882 U - 10109 U^2 - 3634 U^3 + 576 U^4 + 294 U^5 + 25 U^6 + 14253 V + 11199 U V - 1707 U^2 V - 1618 U^3 V - 187 U^4 V + 1126 V^2 + 2066 U V^2 + 385 U^2 V^2 - 135 V^3 \}$$

$$\{ \text{Knot}[10, 129], 444 - 130 U - 41 U^2 + 6 U^3 + U^4 + 155 V - 18 U V - 6 U^2 V + 9 V^2 \}$$

$$\{ \text{Knot}[10, 130], 360 - 62 U - 18 U^2 - 4 U^3 - U^4 + 64 V + 12 U V + 6 U^2 V - 9 V^2 \}$$

$$\{ \text{Knot}[10, 131], 2920 - 1278 U - 218 U^2 + 82 U^3 + 9 U^4 + 1304 V - 294 U V - 72 U^2 V + 139 V^2 \}$$

$$\{ \text{Knot}[10, 132], 172 - 10 U - 19 U^2 - 2 U^3 + 47 V + 7 U V \}$$

$$\{ \text{Knot}[10, 133], 736 - 306 U - 42 U^2 + 16 U^3 + U^4 + 270 V - 58 U V - 9 U^2 V + 19 V^2 \}$$

$$\{ \text{Knot}[10, 134], 836 + 18396 U - 3841 U^2 - 3840 U^3 + 166 U^4 + 252 U^5 + 25 U^6 - 3501 V + 11645 U V + 534 U^2 V - 1396 U^3 V - 199 U^4 V - 2040 V^2 + 1796 U V^2 + 469 U^2 V^2 - 279 V^3 \}$$

$$\{ \text{Knot}[10, 135], -276 + 136 U + 43 U^2 - 14 U^3 - 3 U^4 - 211 V + 50 U V + 21 U^2 V - 37 V^2 \}$$

$$\{ \text{Knot}[10, 136], -220 + 136 U + 11 U^2 - 10 U^3 - U^4 - 109 V + 35 U V + 8 U^2 V - 15 V^2 \}$$

$$\{ \text{Knot}[10, 137], -232 + 122 U - 8 U^2 - 2 U^3 - 40 V + 10 U V \}$$

$$\{ \text{Knot}[10, 138], -3400 + 3420 U - 264 U^2 - 402 U^3 + 25 U^4 + 16 U^5 + U^6 - 2162 V + 1445 U V + 118 U^2 V - 108 U^3 V - 11 U^4 V - 471 V^2 + 156 U V^2 + 37 U^2 V^2 - 35 V^3 \}$$

$$\{ \text{Knot}[10, 139], -113980 + 19452 U + 41953 U^2 - 856 U^3 - 5823 U^4 - 662 U^5 + 260 U^6 + 64 U^7 + 4 U^8 - 89153 V - 2895 U V + 24090 U^2 V + 3998 U^3 V - 1564 U^4 V - 484 U^5 V - 36 U^6 V - 23405 V^2 - 5410 U V^2 + 3068 U^2 V^2 + 1160 U^3 V^2 + 104 U^4 V^2 - 2108 V^3 - 868 U V^3 - 92 U^2 V^3 - 12 V^4 \}$$

$$\{ \text{Knot}[10, 140], 144 - 28 U - 12 U^2 + 40 V \}$$

$$\{ \text{Knot}[10, 141], 324 - 140 U - 27 U^2 + 10 U^3 + U^4 + 143 V - 33 U V - 8 U^2 V + 15 V^2 \}$$

$$\{ \text{Knot}[10, 142], 15380 + 15096 U - 6683 U^2 - 3678 U^3 + 350 U^4 + 270 U^5 + 25 U^6 + 5495 V + 10806 U V - 560 U^2 V - 1444 U^3 V - 187 U^4 V - 316 V^2 + 1802 U V^2 + 397 U^2 V^2 - 183 V^3 \}$$

$$\{ \text{Knot}[10, 143], 700 - 466 U - 143 U^2 + 100 U^3 + 16 U^4 - 6 U^5 - U^6 + 759 V - 328 U V - 132 U^2 V + 36 U^3 V + 9 U^4 V + 254 V^2 - 54 U V^2 - 27 U^2 V^2 + 27 V^3 \}$$

$$\{ \text{Knot}[10, 144], 6248 - 2752 U - 606 U^2 + 208 U^3 + 30 U^4 + 3062 V - 684 U V - 216 U^2 V + 374 V^2 \}$$

$$\{ \text{Knot}[10, 145], 1040 + 92 U - 122 U^2 - 30 U^3 - 2 U^4 + 296 V + 82 U V + 6 U^2 V + 6 V^2 \}$$

$$\{ \text{Knot}[10, 146], -208 + 158 U - 4 U^2 - 8 U^3 - U^4 - 130 V + 43 U V + 9 U^2 V - 21 V^2 \}$$

$$\{ \text{Knot}[10, 147], -1520 + 678 U + 140 U^2 - 50 U^3 - 7 U^4 - 730 V + 165 U V + 51 U^2 V - 89 V^2 \}$$

$$\{ \text{Knot}[10, 148], 420 - 28 U - 209 U^2 + 44 U^3 + 23 U^4 - 4 U^5 - U^6 + 663 V - 151 U V - 147 U^2 V + 23 U^3 V + 9 U^4 V + 263 V^2 - 38 U V^2 - 28 U^2 V^2 + 31 V^3 \}$$

$$\{ \text{Knot}[10, 149], -9256 + 6076 U + 618 U^2 - 776 U^3 - 23 U^4 + 28 U^5 + 2 U^6 - 6002 V + 2627 U V + 510 U^2 V - 180 U^3 V - 22 U^4 V - 1249 V^2 + 273 U V^2 + 76 U^2 V^2 - 82 V^3 \}$$

$$\{ \text{Knot}[10, 150], 4484 - 3702 U - 161 U^2 + 536 U^3 + 6 U^4 - 24 U^5 - 2 U^6 + 3157 V - 1751 U V - 299 U^2 V + 146 U^3 V + 20 U^4 V + 740 V^2 - 206 U V^2 - 62 U^2 V^2 + 58 V^3 \}$$


$$\{ \text{Knot}[10, 151], -1600 + 644 U + 292 U^2 - 88 U^3 - 28 U^4 + 4 U^5 + U^6 - 1472 V + 419 U V + 203 U^2 V - 31 U^3 V - 10 U^4 V - 440 V^2 + 65 U V^2 + 35 U^2 V^2 - 43 V^3 \}$$


$$\{ \text{Knot}[10, 152], 166900 - 47634 U - 55435 U^2 + 6188 U^3 + 7632 U^4 + 440 U^5 - 365 U^6 - 72 U^7 - 4 U^8 + 133609 V - 9978 U V - 34200 U^2 V - 3137 U^3 V + 2346 U^4 V + 560 U^5 V + 36 U^6 V + 36248 V^2 + 4587 U V^2 - 4893 U^2 V^2 - 1368 U^3 V^2 - 100 U^4 V^2 + 3495 V^3 + 1028 U V^3 + 68 U^2 V^3 + 44 V^4 \}$$


$\{ \text{Knot}[10, 153], -1892 - 250U + 511U^2 + 122U^3 - 30U^4 - 12U^5 - U^6 - 1045V - 373UV + 123U^2V + 66U^3V + 7U^4V - 148V^2 - 83UV^2 - 12U^2V^2 - V^3 \}$
 $\{ \text{Knot}[10, 154], 25844 - 3666U - 5447U^2 - 160U^3 + 340U^4 + 60U^5 + 3U^6 + 14385V + 776UV - 1696U^2V - 345U^3V - 18U^4V + 2144V^2 + 471UV^2 + 15U^2V^2 + 39V^3 \}$
 $\{ \text{Knot}[10, 155], -536 + 238U + 48U^2 - 18U^3 - 2U^4 - 256V + 60UV + 16U^2V - 30V^2 \}$
 $\{ \text{Knot}[10, 156], 1820 - 1310U - 111U^2 + 178U^3 + 10U^4 - 8U^5 - U^6 + 1479V - 683UV - 160U^2V + 55U^3V + 10U^4V + 398V^2 - 89UV^2 - 33U^2V^2 + 35V^3 \}$
 $\{ \text{Knot}[10, 157], 16848 - 11158U - 868U^2 + 1302U^3 + 14U^4 - 40U^5 - 2U^6 + 10138V - 4406UV - 722U^2V + 262U^3V + 24U^4V + 1872V^2 - 395UV^2 - 88U^2V^2 + 98V^3 \}$
 $\{ \text{Knot}[10, 158], 380 - 138U - 43U^2 + 10U^3 + 2U^4 + 155V - 25UV - 12U^2V + 16V^2 \}$
 $\{ \text{Knot}[10, 159], 276 - 412U - 23U^2 + 88U^3 + 9U^4 - 6U^5 - U^6 + 675V - 395UV - 115U^2V + 43U^3V + 10U^4V + 307V^2 - 77UV^2 - 34U^2V^2 + 39V^3 \}$
 $\{ \text{Knot}[10, 160], 1640 - 4196U + 782U^2 + 626U^3 - 56U^4 - 32U^5 - 2U^6 + 1630V - 2109UV - 66U^2V + 194U^3V + 20U^4V + 474V^2 - 254UV^2 - 58U^2V^2 + 42V^3 \}$
 $\{ \text{Knot}[10, 161], -13480 + 744U + 3222U^2 + 310U^3 - 204U^4 - 48U^5 - 3U^6 - 7262V - 980UV + 900U^2V + 250U^3V + 18U^4V - 1034V^2 - 307UV^2 - 21U^2V^2 - 15V^3 \}$
 $\{ \text{Knot}[10, 162], 5856 - 2496U - 616U^2 + 196U^3 + 30U^4 + 2812V - 603UV - 207U^2V + 338V^2 \}$
 $\{ \text{Knot}[10, 163], -2712 + 1870U + 98U^2 - 208U^3 - 9U^4 + 8U^5 + U^6 - 2156V + 962UV + 186U^2V - 64U^3V - 11U^4V - 575V^2 + 124UV^2 + 41U^2V^2 - 51V^3 \}$
 $\{ \text{Knot}[10, 164], -416 + 286U + 20U^2 - 20U^3 - 3U^4 - 290V + 88UV + 24U^2V - 49V^2 \}$
 $\{ \text{Knot}[10, 165], -5044 + 2334U + 233U^2 - 120U^3 - 9U^4 - 1993V + 472UV + 80U^2V - 171V^2 \}$


In[]:= {#[[1]], DrawUVPol[#[[2]]]} & /@ UVTable // MatrixForm


Out[//MatrixForm=













































































































































































Genus bound:

It appears that $\deg_V \leq g$.


See also in the Conway and KT cases below. Conway has genus 3, KT genus 2.

Specific knots

Conway and Kinoshita-Terasaka

```
In[=]: {UVConway = ToUV[\theta[Knot[11, NonAlternating, 34]]][2]], 
 UVKT = ToUV[\theta[Knot[11, NonAlternating, 42]]][2]]}
DrawUVPoly /@ %
```

Out[=]=

$$\{2856 - 518 U - 612 U^2 + 20 U^3 + 40 U^4 + 4 U^5 + 1544 V + 33 U V - 196 U^2 V - 28 U^3 V + 224 V^2 + 44 U V^2 - U^2 V^2 + 4 V^3, 40 - 6 U - 4 U^2 + 8 V + U V\}$$


Mutant ninja turtles

```
In[=]:= {UVConway = ToUV[\theta[Knot[11, NonAlternating, 73]]][2]], 
 UVKT = ToUV[\theta[Knot[11, NonAlternating, 74]]][2]]}
DrawUVPoly /@ %

Out[=]=
{ -88 + 38 U + 4 U^2 - 2 U^3 - 24 V + 6 U V, -88 + 38 U + 4 U^2 - 2 U^3 - 24 V + 6 U V}

Out[=]=


```

GST knot.

```
In[=]:= PD[GST48] = PD[X[1, 15, 2, 14], X[29, 2, 30, 3], X[40, 4, 41, 3], 
 X[4, 44, 5, 43], X[5, 26, 6, 27], X[95, 7, 96, 6], X[7, 1, 8, 96], X[8, 14, 9, 13], 
 X[28, 9, 29, 10], X[41, 11, 42, 10], X[11, 43, 12, 42], X[12, 27, 13, 28], 
 X[15, 31, 16, 30], X[61, 16, 62, 17], X[72, 17, 73, 18], X[83, 18, 84, 19], 
 X[34, 20, 35, 19], X[20, 89, 21, 90], X[92, 21, 93, 22], X[22, 79, 23, 80], 
 X[23, 68, 24, 69], X[24, 57, 25, 58], X[56, 25, 57, 26], X[31, 63, 32, 62], 
 X[32, 74, 33, 73], X[33, 85, 34, 84], X[35, 50, 36, 51], X[81, 37, 82, 36], 
 X[70, 38, 71, 37], X[59, 39, 60, 38], X[54, 39, 55, 40], X[55, 45, 56, 44], 
 X[45, 59, 46, 58], X[46, 70, 47, 69], X[47, 81, 48, 80], X[91, 49, 92, 48], 
 X[49, 91, 50, 90], X[82, 52, 83, 51], X[71, 53, 72, 52], X[60, 54, 61, 53], 
 X[74, 63, 75, 64], X[85, 64, 86, 65], X[65, 76, 66, 77], X[66, 87, 67, 88], 
 X[94, 67, 95, 68], X[86, 75, 87, 76], X[77, 88, 78, 89], X[93, 78, 94, 79]]; 

In[=]:= KGST48 = \theta[PD@GST48];
```


In[=]:= **UVGST48** = ToUV[KGST48[[2]]]

Out[=]=

$$\begin{aligned}
 & 6230829076 - 1649181286 U - 5550362737 U^2 + 633563170 U^3 + 2149291095 U^4 + 57738350 U^5 - \\
 & 442863600 U^6 - 68037954 U^7 + 47087638 U^8 + 13742818 U^9 - 1713126 U^{10} - 1133034 U^{11} - 93673 U^{12} + \\
 & 27628 U^{13} + 7084 U^{14} + 634 U^{15} + 21 U^{16} + 13167733457 V - 742113426 U V - 10317864060 U^2 V - \\
 & 780044732 U^3 V + 3238407625 U^4 V + 638880245 U^5 V - 474970634 U^6 V - 158493853 U^7 V + \\
 & 24648280 U^8 V + 16630248 U^9 V + 1117975 U^{10} V - 597951 U^{11} V - 131649 U^{12} V - 6085 U^{13} V + \\
 & 927 U^{14} V + 120 U^{15} V + 4 U^{16} V + 11869957279 V^2 + 1596094282 U V^2 - 7694098809 U^2 V^2 - \\
 & 1915654735 U^3 V^2 + 1772355983 U^4 V^2 + 673776096 U^5 V^2 - 139570447 U^6 V^2 - 95990994 U^7 V^2 - \\
 & 4878592 U^8 V^2 + 4956644 U^9 V^2 + 1012288 U^{10} V^2 + 5355 U^{11} V^2 - 18588 U^{12} V^2 - 2124 U^{13} V^2 - \\
 & 76 U^{14} V^2 + 5974726186 V^3 + 1846197822 U V^3 - 2937035760 U^2 V^3 - 1250175184 U^3 V^3 + \\
 & 401371993 U^4 V^3 + 272656716 U^5 V^3 + 6202565 U^6 V^3 - 20912710 U^7 V^3 - 3998030 U^8 V^3 + \\
 & 181761 U^9 V^3 + 132950 U^{10} V^3 + 14623 U^{11} V^3 + 480 U^{12} V^3 - 5 U^{13} V^3 + 1838914446 V^4 + \\
 & 858092040 U V^4 - 591691979 U^2 V^4 - 383311959 U^3 V^4 + 15686538 U^4 V^4 + 48517081 U^5 V^4 + \\
 & 8278217 U^6 V^4 - 1141018 U^7 V^4 - 488295 U^8 V^4 - 48732 U^9 V^4 - 807 U^{10} V^4 + 80 U^{11} V^4 + 354683158 V^5 + \\
 & 214618897 U V^5 - 52915707 U^2 V^5 - 59477229 U^3 V^5 - 7719781 U^4 V^5 + 3142057 U^5 V^5 + \\
 & 991283 U^6 V^5 + 74251 U^7 V^5 - 3605 U^8 V^5 - 492 U^9 V^5 + U^{10} V^5 + 41939725 V^6 + 30223366 U V^6 + \\
 & 486587 U^2 V^6 - 4238868 U^3 V^6 - 1043085 U^4 V^6 - 15128 U^5 V^6 + 18462 U^6 V^6 + 1428 U^7 V^6 - 13 U^8 V^6 + \\
 & 2800418 V^7 + 2267506 U V^7 + 390623 U^2 V^7 - 87915 U^3 V^7 - 30306 U^4 V^7 - 1835 U^5 V^7 + 63 U^6 V^7 + \\
 & 84191 V^8 + 74924 U V^8 + 17376 U^2 V^8 + 474 U^3 V^8 - 136 U^4 V^8 + 272 V^9 + 596 U V^9 + 115 U^2 V^9 - 12 V^{10}
 \end{aligned}$$

In[=]:= **DrawUVPOL**[UVGST48]


Out[=]=



```
In[1]:= DunfieldKnotList =
  ReadList["C:\\\\Users\\\\T15Roland\\\\Wiskunde\\\\Bn\\\\HigherRank\\\\nmd_random_knots.txt"] /.
  {i_Integer :> i + 1};
```

```
In[2]:= ToUV[θ[DunfieldKnotList[[10]]][[2]]]
DrawUVPoly@%
```

```
Out[2]=
99 168 - 131 978 U + 31 970 U^2 + 16 662 U^3 - 5055 U^4 - 1038 U^5 + 172 U^6 + 40 U^7 + 2 U^8 +
90 274 V - 89 599 U V + 7613 U^2 V + 10 324 U^3 V - 648 U^4 V - 438 U^5 V - 30 U^6 V + 30 861 V^2 -
20 290 U V^2 - 1512 U^2 V^2 + 1496 U^3 V^2 + 162 U^4 V^2 + 4720 V^3 - 1542 U V^3 - 364 U^2 V^3 + 274 V^4
```




In[$\#$]:= **ToUV**[θ [**DunfieldKnotList**[[30]]][[2]]]

DrawUVPol@%

Out[$\#$]=

$$\begin{aligned} & -20959356192 + 82648870670 U - 61420204654 U^2 - 12889058040 U^3 + 21952491586 U^4 + \\ & 75909790 U^5 - 3467252696 U^6 + 32343128 U^7 + 314994260 U^8 + 11593600 U^9 - 15968084 U^{10} - \\ & 1697514 U^{11} + 310109 U^{12} + 64702 U^{13} + 3195 U^{14} - 49508478050 V + 147417992421 U V - \\ & 79306207340 U^2 V - 31830212699 U^3 V + 25568303784 U^4 V + 3664498263 U^5 V - \\ & 3278502945 U^6 V - 405420878 U^7 V + 203012405 U^8 V + 34035364 U^9 V - 4288830 U^{10} V - \\ & 1229093 U^{11} V - 70217 U^{12} V - 48238331920 V^2 + 108765255504 U V^2 - 37844869967 U^2 V^2 - \\ & 25625045308 U^3 V^2 + 10333553045 U^4 V^2 + 3195589246 U^5 V^2 - 902413026 U^6 V^2 - \\ & 257790994 U^7 V^2 + 21112027 U^8 V^2 + 9629496 U^9 V^2 + 653692 U^{10} V^2 - 25424737904 V^3 + \\ & 42535474929 U V^3 - 7222442748 U^2 V^3 - 9373889543 U^3 V^3 + 1477014251 U^4 V^3 + \\ & 933076873 U^5 V^3 - 36018686 U^6 V^3 - 39726750 U^7 V^3 - 3330993 U^8 V^3 - 7883961088 V^4 + \\ & 9307650913 U V^4 - 10398780 U^2 V^4 - 1621282746 U^3 V^4 - 32734022 U^4 V^4 + 90701424 U^5 V^4 + \\ & 9987666 U^6 V^4 - 1444915816 V^5 + 1081283525 U V^5 + 172871586 U^2 V^5 - 108103153 U^3 V^5 - \\ & 17498380 U^4 V^5 - 145376287 V^6 + 52130232 U V^6 + 16396920 U^2 V^6 - 6208317 V^7 \end{aligned}$$

Out[$\#$]=



(*My ToUV is too slow to handle this*)

In[$\#$]:= **DK120** = << Theta4DK120.m;

Invariance Proof