

Pensieve Header: See also 2009-01/Very Large Numbers.

```
In[51]:= Step[{n_}] := n;
Step[{n_, 1}] := {n + 2};
Step[{n_, 1, 1, rest__}] := {n + 2, 1, rest};
Step[{n_, 1, 2, 1, rest__}] := {2 n + 2, 1, rest};
Step[{n_, rest__}] /; FreeQ[Rest[{rest}], 1] := (
  k = Last[{rest}] - 1;
  {k} = Last[Position[{rest}, k, 1]];
  Flatten[{{
    2,
    Take[{rest}, k - 1],
    Table[Take[{rest}, {k, -2}], {n}]
  }]
);
Step[{n_, rest__}] /; MemberQ[Rest[{rest}], 1] := (
  l1 = Last[Position[{rest}, 1, 1, 2]];
  k = {rest}[[l1 - 1]] - 1;
  {k} = Last[Position[Take[{rest}, l1 - 2], k, 1]];
  Flatten[{{
    2,
    Take[{rest}, k - 1],
    Table[Take[{rest}, {k, l1 - 2}], {n}],
    Drop[{rest}, l1 - 1]
  }]
);
In[105]:= s = {4, 1, 2, 2};
steps = 0;
While[Head[s] === List && ++steps < 500 && Length[s] < 1000, Print[s = Step[s]]];
s
{2, 1, 2, 1, 2, 1, 2}
{2, 1, 1, 1, 2, 1, 2, 1, 2}
{4, 1, 1, 2, 1, 2, 1, 2}
{6, 1, 2, 1, 2, 1, 2}
{2, 1, 1, 1, 1, 1, 1, 2, 1, 2}
{4, 1, 1, 1, 1, 1, 1, 2, 1, 2}
{6, 1, 1, 1, 1, 1, 2, 1, 2}
{8, 1, 1, 1, 1, 2, 1, 2}
{10, 1, 1, 1, 2, 1, 2}
{12, 1, 1, 2, 1, 2}
{14, 1, 2, 1, 2}
{2, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 2}
{4, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 2}
{6, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 2}
```



```
{48, 1, 1, 1, 1, 1, 1, 1}
```

```
{50, 1, 1, 1, 1, 1, 1}
```

```
{52, 1, 1, 1, 1, 1}
```

```
{54, 1, 1, 1, 1}
```

```
{56, 1, 1, 1}
```

```
{58, 1, 1}
```

```
{60, 1}
```

```
{62}
```

```
62
```

```
Out[108]= 62
```