

```

In[*]:= folder = "C:\\drorbn\\Album\\2023.12.16_Groningen_-_Delfzijl_Loop";
SetDirectory[folder];

nbd = Select[FileNames["*", "C:\\drorbn\\Album"], FileType[#] == Directory &];
len = Length[nbd]
loc = Position[nbd, folder][[1, 1]];
DeleteFile[nbd[[Mod[#, len, 1]] <> "\\index.html"] & /@ (loc + {1, -1})];

fs = Echo@Take[FileNames["*.gpx"], All];
data = Union@Table["Geometry" /. Import[f, "Data"], {f, fs}];
path = Echo@GeoGraphics[{Red, data},
  GeoGridRangePadding -> Scaled[0.1],
  GeoScaleBar -> "Kilometers"
];
Export["Path%.png", path]

PathLocation = Module[{R = 3000, r = 50, n = 6, res = 600},
  ImageAssemble[
    Partition[#, 3] &@Table[
      Rasterize[
        GeoGraphics[{Red, Thick, data},
          GeoCenter -> Mean@Cases[data, GeoPosition[l_List] :> Mean[l], ∞],
          GeoRange -> Quantity[R (r / R)(k-1) / (n-1), "Kilometers"],
          GeoScaleBar -> "Kilometers",
          ImageSize -> res
        ],
      RasterSize -> res
    ],
    {k, n}],
  "Fit", Background -> White]
]
Export["PathLocation.png", PathLocation]


ResetDirectory[]

```

Out[*]=

259


» {2023-12-16_08-39_Sat.gpx}



Out[]=

Path%.png

Out[]=



Out[]=

PathLocation.png

Out[]=

C:\Users\drorb\Documents

```

folder = "C:\\drorbn\\Album\\2023.12.16_Groningen_-_Delfzijl_Loop";
SetDirectory [folder];
(Interpretation [ImageResize [Import@#, 400], #] → "") & /@
FileNames ["*.jpg" | "*.jpeg" | "*.png" | "*.mp4"]

```

With [Roland](https://www.rolandvdv.nl/), about 89km (a bit more for Roland) on a very gray and foggy day (sorry, pictures taken in the fog are not great). We saw 10 windmills! That's much better than the average one day tally here.

```

{
  "TitleNotes" →
  "With Roland, about
  89km (a bit more for Roland) on a very gray and foggy day (sorry,
  pictures taken in the fog are not great). We saw 10 windmills!
  That's much better than the average one day tally here.",
  "ImageComments" → {}
}

```