

Pensieve header: A program to enumerate w-knots.

```

SetDirectory["C:\\drorbn\\AcademicPensieve\\2015-03"]
C:\\drorbn\\AcademicPensieve\\2015-03


A_List \\ B_List := Complement[A, B];

Draw[w_wLDiag | w_wCDiag] := Module[{n, w1},
  n = Length[w];
  w1 = Abs /@ w;
  Graphics[{
    Line[{{0, 0}, {n + 1, 0}}],
    Table[
      {
        Arrow[BezierCurve[
          {{w1[[j]] - 0.5, 0}, {(w1[[j]] + j - 0.5) / 2, 0.5 Abs[j - w1[[j]] + 0.5]}, {j, 0}}]],
        Text[If[w[[j]] > 0, "+", "-"], {j, -0.1}],
        Text[w1[[j]], {w1[[j]] - 0.5, -0.1}]
      },
      {j, n}
    ]
  ]];

Draw[expr_] := expr /. w_wLDiag | w_wCDiag -> Draw[w]

Draw[wLDiag[3, 1]]

```



```

AllLinearDiagrams[n_] := Flatten@Table[
  wLDiag@@@Tuples[Range[k + 1] U (-Range[k + 1]), k],
  {k, 0, n}
]

```

AllLinearDiagrams[2]

```
{wLdiag[], wLdiag[-2], wLdiag[-1], wLdiag[1], wLdiag[2], wLdiag[-3, -3],
  wLdiag[-3, -2], wLdiag[-3, -1], wLdiag[-3, 1], wLdiag[-3, 2], wLdiag[-3, 3],
  wLdiag[-2, -3], wLdiag[-2, -2], wLdiag[-2, -1], wLdiag[-2, 1], wLdiag[-2, 2],
  wLdiag[-2, 3], wLdiag[-1, -3], wLdiag[-1, -2], wLdiag[-1, -1], wLdiag[-1, 1],
  wLdiag[-1, 2], wLdiag[-1, 3], wLdiag[1, -3], wLdiag[1, -2], wLdiag[1, -1],
  wLdiag[1, 1], wLdiag[1, 2], wLdiag[1, 3], wLdiag[2, -3], wLdiag[2, -2],
  wLdiag[2, -1], wLdiag[2, 1], wLdiag[2, 2], wLdiag[2, 3], wLdiag[3, -3],
  wLdiag[3, -2], wLdiag[3, -1], wLdiag[3, 1], wLdiag[3, 2], wLdiag[3, 3]}
```

```
wCDiag /: RotateLeft[w_wCDiag] := Module[{n},
  n = Length[w];
  wCDiag @@ (RotateLeft[List@@w] /. j_Integer => Which[
    j == 1, n,
    j == -1, -n,
    j > 1, j - 1,
    j < -1, j + 1
  ])
]
```

```
RotateLeft[wCDiag[-3, 1, 3, -2]]
```

```
wCDiag[4, 2, -1, -2]
```

```
RotateToMinimal[w_wCDiag] := Module[
  {bestw = w, rotatedw = RotateLeft[w]},
  While[rotatedw != w,
    bestw = First[Sort[{bestw, rotatedw}]];
    rotatedw = RotateLeft[rotatedw]
  ];
  bestw
];
```

```
wDiag[5, 2, -1, -2] // RotateToMinimal
```

```
wDiag[-5, -1, 4, 1]
```

```
wCDiag[w_wLDiag] := Module[{n},
  n = Length[w];
  RotateToMinimal[wCDiag@@w /. {n+1 -> 1, -n-1 -> -1}]
]
```

```
AllCircularDiagrams[n_] :=
```

```
AllCircularDiagrams[n] = Union[RotateToMinimal /@ Flatten@Table[
  wCDiag@@@Tuples[Range[k] ∪ (-Range[k]), k],
  {k, 0, n}
]]
```

AllCircularDiagrams [2]

```
{wCDiag[], wCDiag[-1], wCDiag[1], wCDiag[-2, -2],
  wCDiag[-2, -1], wCDiag[-2, 1], wCDiag[-2, 2], wCDiag[-1, -2],
  wCDiag[-1, 1], wCDiag[-1, 2], wCDiag[1, 1], wCDiag[1, 2], wCDiag[2, 1]}
```

```
RemoveR1 [w_wLDiag] := Module[{j, k = 0},
  Do[If[MemberQ[{j, j + 1}, Abs[w[[j]]]], k = j], {j, Length[w]}];
  If[k == 0, w,
    Delete[w, k] /. j_Integer /; Abs[j] > k => Sign[j] (Abs[j] - 1)
  ]
]
```

```
RemoveR1 [wLDiag[-4, 1, 3, -4]]
```

```
wLDiag[-4, 1, 3]
```

RemoveR1 /@AllLinearDiagrams [2]

```
{wLDiag[], wLDiag[], wLDiag[], wLDiag[], wLDiag[], wLDiag[-2], wLDiag[-2],
  wLDiag[-3, -1], wLDiag[-3, 1], wLDiag[-2], wLDiag[-2], wLDiag[-2], wLDiag[-2],
  wLDiag[-1], wLDiag[1], wLDiag[-2], wLDiag[-2], wLDiag[-1], wLDiag[-1], wLDiag[-1],
  wLDiag[1], wLDiag[-1], wLDiag[-1], wLDiag[1], wLDiag[1], wLDiag[-1], wLDiag[1],
  wLDiag[1], wLDiag[1], wLDiag[2], wLDiag[2], wLDiag[-1], wLDiag[1], wLDiag[2],
  wLDiag[2], wLDiag[2], wLDiag[2], wLDiag[3, -1], wLDiag[3, 1], wLDiag[2], wLDiag[2]}
```

```
RemoveR1 [wCDiag[]] = wCDiag[];
```

```
RemoveR1 [w_wCDiag] := Module[{n, j, k = 0},
  n = Length[w];
  Do[If[MemberQ[{j, j + 1}, Abs[w[[j]]]], k = j], {j, n - 1}];
  If[k != 0,
    Delete[w, k] /. j_Integer /; Abs[j] > k => Sign[j] (Abs[j] - 1),
    (*else*) If[!MemberQ[{1, n}, Abs[Last[w]]], w,
      Drop[w, -1] /. {n -> 1, -n -> -1}
    ]
  ]
]
```

RemoveR1 /@AllCircularDiagrams [2]

```
{wCDiag[], wCDiag[], wCDiag[], wCDiag[-1], wCDiag[-1], wCDiag[1], wCDiag[1],
  wCDiag[-1], wCDiag[1], wCDiag[1], wCDiag[1], wCDiag[1], wCDiag[1]}
```

```
RemoveR1s [w_wLDiag | w_wCDiag] := FixedPoint[RemoveR1, w]
```

RemoveR1s /@AllLinearDiagrams [2] // Union

```
{wLDiag[], wLDiag[-3, -1], wLDiag[-3, 1], wLDiag[3, -1], wLDiag[3, 1]}
```

```
RemoveR1s /@AllCircularDiagrams[4] // Union
```

```
{wCDiag[], wCDiag[-3, -1, -2], wCDiag[-3, -1, 2], wCDiag[-3, 1, -2],
  wCDiag[-3, 1, 2], wCDiag[3, 1, 2], wCDiag[-4, -4, -2, -3], wCDiag[-4, -4, -2, -2],
  wCDiag[-4, -4, -2, 2], wCDiag[-4, -4, -2, 3], wCDiag[-4, -4, -1, -3],
  wCDiag[-4, -4, -1, -2], wCDiag[-4, -4, -1, 2], wCDiag[-4, -4, -1, 3],
  wCDiag[-4, -4, 1, -3], wCDiag[-4, -4, 1, -2], wCDiag[-4, -4, 1, 2],
  wCDiag[-4, -4, 1, 3], wCDiag[-4, -4, 2, -3], wCDiag[-4, -4, 2, -2],
  wCDiag[-4, -4, 2, 2], wCDiag[-4, -4, 2, 3], wCDiag[-4, -1, -2, -3],
  wCDiag[-4, -1, -2, 2], wCDiag[-4, -1, -2, 3], wCDiag[-4, -1, 1, -2],
  wCDiag[-4, -1, 1, 2], wCDiag[-4, -1, 1, 3], wCDiag[-4, -1, 2, -2],
  wCDiag[-4, -1, 2, 2], wCDiag[-4, -1, 2, 3], wCDiag[-4, 1, -2, 2],
  wCDiag[-4, 1, -2, 3], wCDiag[-4, 1, -1, -2], wCDiag[-4, 1, -1, 2],
  wCDiag[-4, 1, -1, 3], wCDiag[-4, 1, 1, -2], wCDiag[-4, 1, 1, 2],
  wCDiag[-4, 1, 1, 3], wCDiag[-4, 1, 2, -2], wCDiag[-4, 1, 2, 2], wCDiag[-4, 1, 2, 3],
  wCDiag[-4, 4, -2, 2], wCDiag[-4, 4, -1, -2], wCDiag[-4, 4, -1, 2],
  wCDiag[-4, 4, -1, 3], wCDiag[-4, 4, 1, -2], wCDiag[-4, 4, 1, 2],
  wCDiag[-4, 4, 1, 3], wCDiag[-4, 4, 2, -2], wCDiag[-4, 4, 2, 2], wCDiag[-4, 4, 2, 3],
  wCDiag[-3, -4, -1, -2], wCDiag[-3, -4, -1, 2], wCDiag[-3, -4, -1, 3],
  wCDiag[-3, -4, 1, 2], wCDiag[-3, -4, 1, 3], wCDiag[-3, -4, 2, 2],
  wCDiag[-3, -4, 2, 3], wCDiag[-3, 1, -1, 2], wCDiag[-3, 1, -1, 3],
  wCDiag[-3, 1, 1, 2], wCDiag[-3, 1, 1, 3], wCDiag[-3, 1, 2, 2], wCDiag[-3, 1, 2, 3],
  wCDiag[-3, 4, -1, 2], wCDiag[-3, 4, 1, 2], wCDiag[-3, 4, 1, 3],
  wCDiag[-3, 4, 2, 2], wCDiag[-3, 4, 2, 3], wCDiag[3, 1, 1, 2], wCDiag[3, 1, 1, 3],
  wCDiag[3, 1, 2, 2], wCDiag[3, 1, 2, 3], wCDiag[3, 4, 1, 2], wCDiag[4, 1, 2, 3]}
```

```
RemoveR2[w_wLDiag] := Module[{j, k = 0},
  Do[
    If[w[[j]] + w[[j + 1]] == 0 && !MemberQ[Abs[List@@w], j + 1], {j, Length[w] - 1}];
  If[k == 0, w,
    Delete[w, {{k}, {k + 1}}] /. j_Integer /; Abs[j] > k => Sign[j] (Abs[j] - 2)
  ]
]
```

```
wLDiag[2, -2] // RemoveR2
```

```
wLDiag[2, -2]
```

RemoveR2 /@ **AllLinearDiagrams**[2]

```
{wLdiag[], wLdiag[-2], wLdiag[-1], wLdiag[1], wLdiag[2], wLdiag[-3, -3],
  wLdiag[-3, -2], wLdiag[-3, -1], wLdiag[-3, 1], wLdiag[-3, 2], wLdiag[],
  wLdiag[-2, -3], wLdiag[-2, -2], wLdiag[-2, -1], wLdiag[-2, 1], wLdiag[-2, 2],
  wLdiag[-2, 3], wLdiag[-1, -3], wLdiag[-1, -2], wLdiag[-1, -1], wLdiag[],
  wLdiag[-1, 2], wLdiag[-1, 3], wLdiag[1, -3], wLdiag[1, -2], wLdiag[],
  wLdiag[1, 1], wLdiag[1, 2], wLdiag[1, 3], wLdiag[2, -3], wLdiag[2, -2],
  wLdiag[2, -1], wLdiag[2, 1], wLdiag[2, 2], wLdiag[2, 3], wLdiag[],
  wLdiag[3, -2], wLdiag[3, -1], wLdiag[3, 1], wLdiag[3, 2], wLdiag[3, 3]}
```

AllLinearDiagrams[2]

```
{wLdiag[], wLdiag[-2], wLdiag[-1], wLdiag[1], wLdiag[2], wLdiag[-3, -3],
  wLdiag[-3, -2], wLdiag[-3, -1], wLdiag[-3, 1], wLdiag[-3, 2], wLdiag[-3, 3],
  wLdiag[-2, -3], wLdiag[-2, -2], wLdiag[-2, -1], wLdiag[-2, 1], wLdiag[-2, 2],
  wLdiag[-2, 3], wLdiag[-1, -3], wLdiag[-1, -2], wLdiag[-1, -1], wLdiag[-1, 1],
  wLdiag[-1, 2], wLdiag[-1, 3], wLdiag[1, -3], wLdiag[1, -2], wLdiag[1, -1],
  wLdiag[1, 1], wLdiag[1, 2], wLdiag[1, 3], wLdiag[2, -3], wLdiag[2, -2],
  wLdiag[2, -1], wLdiag[2, 1], wLdiag[2, 2], wLdiag[2, 3], wLdiag[3, -3],
  wLdiag[3, -2], wLdiag[3, -1], wLdiag[3, 1], wLdiag[3, 2], wLdiag[3, 3]}
```

Select[**AllLinearDiagrams**[2], (# != **RemoveR2**[#]) &]

```
{wLdiag[-3, 3], wLdiag[-1, 1], wLdiag[1, -1], wLdiag[3, -3]}
```

```
RemoveR2[w_wCDiag] /; Length[w] < 2 := w;
```

```
RemoveR2[w_wCDiag] := Module[{n, j, k = 0},
```

```
  n = Length[w];
```

```
  Do[If[w[[j]] + w[[j + 1]] == 0 && ! MemberQ[Abs[List@@w], j + 1], k = j], {j, n - 1}];
```

```
  If[k ≠ 0,
```

```
    Delete[w, {{k}, {k + 1}}] /.
```

```
      j_Integer /; Abs[j] > k => Sign[j] (Abs[j] - 2) /. {n - 1 → 1, 1 - n → -1},
```

```
    If[w[[1]] + w[[n]] == 0 && ! MemberQ[Abs[List@@w], 1],
```

```
      w[[2 ;; n - 1]] /. j_Integer => Sign[j] (Abs[j] - 1) /. {n - 1 → 1, 1 - n → -1},
```

```
      (*else*) w
```


```
  ]
```

```
]
```


```
]
```

```
RemoveR12s[w_wLdiag | w_wCDiag] := FixedPoint[RemoveR2[RemoveR1[#]] &, w]
```

```
Union[RemoveR12s /@ AllCircularDiagrams[3]] // Draw
```



```
RF[w_wCDiag] := RF[w] = RotateToMinimal[RemoveR12s[w]];
RF[w_wLDiag] := RemoveR12s[w];
Union[RF /@ AllCircularDiagrams[3]] // Draw
```



```
wLDiag /:
Resolve[wLDiag[R3[top_, mid_, bot_, s1_, s2_, s3_], ts_]] := UndirectedEdge[
  RF@ReplacePart[wLDiag@ts, {bot + (1 - s3) / 2 -> s2 s3 top,
    bot + (1 + s3) / 2 -> s1 s3 (mid + 1), mid -> s2 top}],
  RF@ReplacePart[wLDiag@ts, {bot + (1 - s3) / 2 -> s1 s3 mid,
    bot + (1 + s3) / 2 -> s2 s3 top, mid -> s2 top}]
];
wCDiag /: Resolve[wCDiag[R3[top_, mid_, bot_, s1_, s2_, s3_], ts_]] :=
(RF[wCDiag[#]]) & /@ Resolve[wLDiag[R3[top, mid, bot, s1, s2, s3], ts]]
```

```
Resolve@wLDiag[R3[4, 6, 1, 1, 1, 1], 0, 0, +1, -3, +4, 0, +5, -7] // Draw
```



```
Resolve@wCDiag[R3[4, 6, 1, 1, 1, 1], 0, 0, +1, -3, +4, 0, +5, -7] // Draw
```



```
AllLinearR3s[n_] /; n < 3 := {};
```

```
AllLinearR3s[n_] := Flatten@Table[
  Prepend[
    ReplacePart[wLDiag@@Table[0, {n}],
      Thread[Range[n] \ {bot, bot + 1, mid} -> #]],
    R3[top, mid, bot, s1, s2, s3]
  ] & /@ Tuples[Range[-n - 1, n + 1] \ {-bot - 1, 0, bot + 1}, n - 3],
  {bot, Range[n - 1]},
  {mid, Range[n] \ {bot, bot + 1}}, {top, Range[n + 1] \ {bot + 1}},
  {s1, {-1, 1}}, {s2, {-1, 1}}, {s3, {-1, 1}}
];
```

```
AllCircularR3s[n_] /; n < 3 := {};
```

```
AllCircularR3s[n_] := Flatten@Table[
  Prepend[
    ReplacePart[wCDiag@@Table[0, {n}], Thread[Range[n] \ {1, 2, mid} -> #]],
    R3[top, mid, 1, s1, s2, s3]
  ] & /@ Tuples[Range[-n, n] \ {-2, 0, 2}, n - 3],
  {mid, Range[n] \ {1, 2}}, {top, Range[n] \ {2}},
  {s1, {-1, 1}}, {s2, {-1, 1}}, {s3, {-1, 1}}
];
```

```
Union[RF /@ AllLinearDiagrams[4]]
```


```
{wLDiag[], wLDiag[-3, -1], wLDiag[-3, 1], wLDiag[3, -1], wLDiag[3, 1],
wLDiag[-4, -4, -2], wLDiag[-4, -4, -1], ... 1163 ... , wLDiag[5, 5, 2, 3],
wLDiag[5, 5, 5, -3], wLDiag[5, 5, 5, -2], wLDiag[5, 5, 5, -1],
wLDiag[5, 5, 5, 1], wLDiag[5, 5, 5, 2], wLDiag[5, 5, 5, 3]}
```

large output	show less	show more	show all	set size limit...
--------------	-----------	-----------	----------	-------------------

```
wCircularK[n_] := wCircularK[n] = Module[{VS, vs, rule, ES, es},
  VS = AllCircularDiagrams[n];
  $k = 0; vs = Union[(++$k; RF[#]) & /@ VS];
  Print[Length@vs];
  rule = Dispatch[Thread[vs → Range[Length@vs]]];
  ES = AllCircularR3s[n];
  Print[Length@ES];
  $k = 0; es = Union[(++$k; Resolve[#] /. rule) & /@ ES];
  {vs, Graph[Range[Length@vs], es]}
];
wCircularK[n_, k_] := wCircularK[n, k] = Module[{vs, g, cc},
  {vs, g} = wCircularK[n];
  cc = ConnectedComponents[g];
  Select[Table[
    First@MinimalBy[vs[[#]] & /@ c, Length],
    {c, cc}
  ], Length[#] == k &
]
```

wCircularK[5]

```
{wCDiag[], wCDiag[-3, -1, -2], wCDiag[-3, -1, 2], wCDiag[-3, 1, 2],
  wCDiag[3, 1, 2], ... 1378 ..., wCDiag[4, 1, 2, 3, 3], wCDiag[4, 1, 2, 3, 4],
  wCDiag[4, 5, 1, 2, 3], wCDiag[5, 1, 2, 3, 4]},
```



large output
show less
show more
show all
set size limit...

```
wCircularK[5, 4]
```

```
{wCDiag[-4, -1, -2, 3], wCDiag[-4, -4, -1, -2], wCDiag[3, 1, 2, 2],
 wCDiag[-4, 4, 2, -2], wCDiag[-4, 1, 1, 2], wCDiag[-3, -4, 2, 2],
 wCDiag[-4, -4, 1, 2], wCDiag[-4, -4, -1, 3], wCDiag[-4, 4, -2, 2],
 wCDiag[-3, 1, 1, 2], wCDiag[-4, -4, -1, 2], wCDiag[-4, -4, 2, -3],
 wCDiag[-3, 1, -1, 3], wCDiag[-4, 1, 2, 2], wCDiag[-4, -4, 1, -2],
 wCDiag[-4, -4, 1, 3], wCDiag[-4, 1, 1, 3], wCDiag[-4, 1, 1, -2], wCDiag[-3, 4, 2, 2],
 wCDiag[-4, -4, -2, 3], wCDiag[-4, 1, -2, 3], wCDiag[-4, -1, -2, -3],
 wCDiag[3, 4, 1, 2], wCDiag[-3, -4, -1, -2], wCDiag[4, 1, 2, 3]}
```

```
HMirror[w_wCDiag | w_wLDiag] := RF[(-#) & /@ w]
```

```
HMirror[wCDiag[-3, -4, -1, -2]] // RF
```

```
wCDiag[3, 4, 1, 2]
```

```
ReduceMod[w_, {vs_, g_}] := Module[{p, c, cc},
```

```
  {{p}} = Position[vs, w];
```

```
  c = Position[cc = ConnectedComponents[g], p][[1, 1]];
```

```
  First@MinimalBy[vs[[#]] & /@ cc[[c]], Length]
```

```
]
```

```
ReduceMod[wCDiag[3, 4, 1, -2] // RF, wCircularK[5]]
```

```
wCDiag[-4, -1, -2, 3]
```

```
hms = ReduceMod[HMirror[#] // RF, wCircularK[5]] & /@ wCircularK[5, 4]
```

```
{wCDiag[-4, -1, -2, 3], wCDiag[3, 1, 2, 2], wCDiag[-4, -4, -1, -2],
 wCDiag[-4, 4, 2, -2], wCDiag[-4, -4, -1, 3], wCDiag[-4, -4, 1, 2],
 wCDiag[-3, -4, 2, 2], wCDiag[-4, 1, 1, 2], wCDiag[-3, 1, -1, 3],
 wCDiag[-4, -4, -1, 2], wCDiag[-3, 1, 1, 2], wCDiag[-4, 1, 2, 2],
 wCDiag[-4, 4, -2, 2], wCDiag[-4, -4, 2, -3], wCDiag[-3, 4, 2, 2],
 wCDiag[-4, 1, 1, -2], wCDiag[-4, -4, -2, 3], wCDiag[-4, -4, 1, 3],
 wCDiag[-4, -4, 1, -2], wCDiag[-4, 1, 1, 3], wCDiag[-4, 1, -2, 3], wCDiag[4, 1, 2, 3],
 wCDiag[-3, -4, -1, -2], wCDiag[3, 4, 1, 2], wCDiag[-4, -1, -2, -3]}
```

```
(Position[wCircularK[5, 4], #][[1, 1]] & /@ hms
```

```
{1, 3, 2, 4, 8, 7, 6, 5, 13, 11, 10, 14, 9, 12, 19, 18, 20, 16, 15, 17, 21, 25, 24, 23, 22}
```

```
PermutationCycles[
```

```
  {1, 3, 2, 4, 8, 7, 6, 5, 13, 11, 10, 14, 9, 12, 19, 18, 20, 16, 15, 17, 21, 25, 24, 23, 22}]
```

```
Cycles[[{2, 3}, {5, 8}, {6, 7}, {9, 13}, {10, 11},
```

```
  {12, 14}, {15, 19}, {16, 18}, {17, 20}, {22, 25}, {23, 24}]]
```

```
Cycles[{{2, 3}, {5, 8}, {6, 7}, {9, 13}, {10, 11}, {12, 14},
        {15, 19}, {16, 18}, {17, 20}, {22, 25}, {23, 24}}] // First // Length
```

11


```
wLDiag /: Reverse[w_wLDiag] := Module[{n2},
    n2 = Length[w] + 2;
    wLDiag@@Reverse[(Sign[#] * (n2 - Abs[#])) & /@ List@@w]
];
```

```
wCDiag /: Reverse[w_wCDiag] := wCDiag[Reverse[wLDiag@@w]]
```

```
Reverse[wLDiag[-3, 1, -1]]
```

```
wLDiag[-4, 4, -2]
```

```
{wCDiag[-4, -4, 1, 2], Reverse[wCDiag[-4, -4, 1, 2]]} // Draw
```



```
rvs = ReduceMod[Reverse[#] // RF, wCircularK[5]] & /@ wCircularK[5, 4]
```

```
{wCDiag[-4, -1, -2, 3], wCDiag[-4, -4, -1, -2], wCDiag[3, 1, 2, 2],
wCDiag[-4, 4, 2, -2], wCDiag[-3, -4, 2, 2], wCDiag[-4, 1, 1, 2],
wCDiag[-4, -4, -1, 3], wCDiag[-4, -4, 1, 2], wCDiag[-3, 1, -1, 3],
wCDiag[-4, 1, 2, 2], wCDiag[-4, -4, 2, -3], wCDiag[-4, -4, -1, 2],
wCDiag[-4, 4, -2, 2], wCDiag[-3, 1, 1, 2], wCDiag[-4, -4, -2, 3],
wCDiag[-4, -4, 1, 3], wCDiag[-3, 4, 2, 2], wCDiag[-4, 1, 1, -2], wCDiag[-4, 1, 1, 3],
wCDiag[-4, -4, 1, -2], wCDiag[-4, 1, -2, 3], wCDiag[-3, -4, -1, -2],
wCDiag[4, 1, 2, 3], wCDiag[-4, -1, -2, -3], wCDiag[3, 4, 1, 2]}
```

```
PermutationCycles[(Position[wCircularK[5, 4], #][[1, 1]]) & /@ rvs]
```

```
Cycles[
    {{5, 6}, {7, 8}, {9, 13}, {10, 14}, {11, 12}, {15, 20}, {17, 19}, {22, 24}, {23, 25}}
```

```
Cycles[{{2, 3}, {5, 8}, {6, 7}, {9, 13}, {10, 11},
        {12, 14}, {15, 19}, {16, 18}, {17, 20}, {22, 25}, {23, 24}}]
```

```
{{1}, {2, 3}, {4}, {5, 6, 7, 8}, {9, 13}, {10, 11, 12, 14},
    {15, 17, 19, 20}, {16, 18}, {21}, {22, 23, 24, 25}} // Length
```

10