


**Conversation Starter 1.** A knot invariant  $\zeta$  is said to be Computationally 3D, or C3D, if

$$C_\zeta(3D, V) \ll C_\zeta(2D, V^{4/3}).$$


This isn't a rigorous definition! It is time- and naïveté-dependent! But there's room for less-stringent rigour in mathematics, and on a philosophical level, our definition means something.

**Theorem 1.** Let  $lk$  denote the linking number of a 2-component link. Then  $C_{lk}(2D, n) \sim n$  while  $C_{lk}(3D, V) \sim V$ , so  $lk$  is C3D!

**Proof.** WLOG, we are looking at a link in a grid, which we project as on the right:




Here's what it look like, in the case of a knot:




And here's a bigger knot.

This may look like a lot of information, but if  $V$  is big, it's less than the information in a planar diagram, and it is easily computable.



There are  $2L^2$  triangular "crossings fields"  $F_k$  in such a projection.

WLOG, in each  $F_k$  all over strands and all under strands are oriented in the same way and all green edges belong to one component and all red edges to the other.



So  $2L^2$  times we have to solve the problem "given two sets  $R$  and  $G$  of integers in  $[0, L]$ , how many pairs  $\{(r, g) \in R \times G : r < g\}$  are there?". This takes time  $\sim L$  (see below), so the overall computation takes time  $\sim L^3$ .

**Below.** Start with  $rb = cf = 0$  ("reds before" and "cases found") and slide  $\nabla$  from left to right, incrementing  $rb$  by one each time you cross a  $\bullet$  and incrementing  $cf$  by  $rb$  each time you cross a  $\circ$ :



In general, with our limited tools, speedup arises because appropriately projected 3D knots have many uniform "red over green" regions:

