

Pensieve header: Proof of invariance of  $\rho_2$  using integration techniques.

## Initialization


```
In[1]:= SetDirectory["C:\\drorbn\\AcademicPensieve\\Projects\\HigherRank"];
Once[<< KnotTheory` ; << Rot.m];
<< NilpotentIntegration.m;
$π = Normal[# + O[ε]^3] &;
```

```
In[2]:= T2z[p_] := Module[{q = Expand[p], n, c},
  If[q === 0, 0, c = Coefficient[q, T, n = Exponent[q, T]];
   c z^n + T2z[q - c (T^{1/2} - T^{-1/2})^2^n]]];
```

## The $\rho_2$ Integrand

Adopted from pensieve://Talks//Oaxaca-2210/Rho.nb.

Variable convention:



```

In[6]:= q[s_, i_, j_] := x_i (p_i - p_{i+1}) + x_j (p_j - p_{j+1}) + x_i ((1 - T^s) p_{i+1} + (T^s - 1) p_{j+1});
r1[s_, i_, j_] :=
  s (-1 + 2 p_i x_i - 2 p_j x_i + (T^s - 1) p_i p_j x_i^2 + (1 - T^s) p_j^2 x_i^2 - 2 p_i p_j x_i x_j + 2 p_j^2 x_i x_j) / 2;
r2[1, i_, j_] := (-6 p_i x_i + 6 p_j x_i - 3 (-1 + 3 T) p_i p_j x_i^2 + 3 (-1 + 3 T) p_j^2 x_i^2 + 4 (-1 + T) p_i^2 p_j x_i^3 -
  2 (-1 + T) (5 + T) p_i p_j^2 x_i^3 + 2 (-1 + T) (3 + T) p_j^3 x_i^3 + 18 p_i p_j x_i x_j - 18 p_j^2 x_i x_j -
  6 p_i^2 p_j x_i^2 x_j + 6 (2 + T) p_i p_j^2 x_i^2 x_j - 6 (1 + T) p_j^3 x_i^2 x_j - 6 p_i p_j^2 x_i x_j^2 + 6 p_j^3 x_i x_j^2) / 12;
r2[-1, i_, j_] :=
  (-6 T^2 p_i x_i + 6 T^2 p_j x_i + 3 (-3 + T) T p_i p_j x_i^2 - 3 (-3 + T) T p_j^2 x_i^2 - 4 (-1 + T) T p_i^2 p_j x_i^3 +
  2 (-1 + T) (1 + 5 T) p_i p_j^2 x_i^3 - 2 (-1 + T) (1 + 3 T) p_j^3 x_i^3 + 18 T^2 p_i p_j x_i x_j - 18 T^2 p_i^2 p_j x_i x_j -
  18 T^2 p_j^2 x_i x_j - 6 T^2 p_i^2 p_j x_i^2 x_j + 6 T (1 + 2 T) p_i p_j^2 x_i^2 x_j - 6 T (1 + T) p_j^3 x_i^2 x_j - 6 T^2 p_i p_j x_i x_j^2 + 6 T^2 p_j^3 x_i x_j^2) / (12 T^2);
y1[\varphi_, k_] := \varphi (1 / 2 - x_k p_k);
y2[\varphi_, k_] := -\varphi^2 p_k x_k / 2;
L[s_, i_, j_] := T^{s/2} \mathbb{E}[-q[s, i, j] + \epsilon r1[s, i, j] + \epsilon^2 r2[s, i, j]];
L[\varphi_, k_] := T^{\varphi/2} \mathbb{E}[-x_k (p_k - p_k) + \epsilon y1[\varphi, k] + \epsilon^2 y2[\varphi, k]];
L[Dot, i_] := \mathbb{E}[-x_i (p_i - p_{i+1})];
L[End, k_] := \mathbb{E}[-x_k (p_k - p_k) - x_k p_k];
L[K_] := Module[{Cs, \varphi, n, c, k, \varepsilon},
  {Cs, \varphi} = Rot[K]; n = Length[Cs];
  \varepsilon = (2 \pi)^{4n+2} L[End, 2n+1];
  Do[\varepsilon *= L[\varphi[[k]], k], {k, 2n+1}];
  CF@\varepsilon
];
vs[i_] := Sequence[x_i, p_i, x_i, p_i];
rho2vs[K_] := Union @@ Table[{vs[i]}, {i, 2 Crossings[K] + 1}]

```

$\mathcal{L}[\text{Knot}[3, 1]]$

Out[ $\#$ ] =

$$\begin{aligned} & \frac{1}{T^2} 16384 \pi^{14} \mathbb{E} \left[ -p_1 x_1 - p_2 x_2 - \epsilon^2 p_2 x_2 + \epsilon p_5 x_2 + \frac{1}{2} \epsilon^2 p_5 x_2 + \frac{(-1+T) \epsilon p_2 p_5 x_2^2}{2T} + \right. \\ & \frac{(-3+T) \epsilon^2 p_2 p_5 x_2^2}{4T} - \frac{(-1+T) \epsilon p_5^2 x_2^2}{2T} - \frac{(-3+T) \epsilon^2 p_5^2 x_2^2}{4T} - \frac{(-1+T) \epsilon^2 p_2^2 p_5 x_2^3}{3T} + \\ & \frac{(-1+T) (1+5T) \epsilon^2 p_2 p_5^2 x_2^3}{6T^2} - \frac{(-1+T) (1+3T) \epsilon^2 p_5^3 x_2^3}{6T^2} - p_3 x_3 + \epsilon p_1 x_4 + \frac{1}{2} \epsilon^2 p_1 x_4 - \\ & p_4 x_4 - \epsilon p_4 x_4 - \frac{1}{2} \epsilon^2 p_4 x_4 - \epsilon p_1^2 x_1 x_4 - \frac{3}{2} \epsilon^2 p_1^2 x_1 x_4 + \epsilon p_1 p_4 x_1 x_4 + \frac{3}{2} \epsilon^2 p_1 p_4 x_1 x_4 + \\ & \frac{1}{2} \epsilon^2 p_1^3 x_1^2 x_4 - \frac{1}{2} \epsilon^2 p_1^2 p_4 x_1^2 x_4 - \frac{(-1+T) \epsilon p_1^2 x_4^2}{2T} - \frac{(-3+T) \epsilon^2 p_1^2 x_4^2}{4T} + \frac{(-1+T) \epsilon p_1 p_4 x_4^2}{2T} + \\ & \frac{(-3+T) \epsilon^2 p_1 p_4 x_4^2}{4T} - \frac{(1+T) \epsilon^2 p_1^3 x_1 x_4^2}{2T} + \frac{(1+2T) \epsilon^2 p_1^2 p_4 x_1 x_4^2}{2T} - \frac{1}{2} \epsilon^2 p_1 p_4^2 x_1 x_4^2 - \\ & \frac{(-1+T) (1+3T) \epsilon^2 p_1^3 x_4^3}{6T^2} + \frac{(-1+T) (1+5T) \epsilon^2 p_1^2 p_4 x_4^3}{6T^2} - \frac{(-1+T) \epsilon^2 p_1 p_4^2 x_4^3}{3T} - p_5 x_5 + \\ & \epsilon p_2 p_5 x_2 x_5 + \frac{3}{2} \epsilon^2 p_2 p_5 x_2 x_5 - \epsilon p_5^2 x_2 x_5 - \frac{3}{2} \epsilon^2 p_5^2 x_2 x_5 - \frac{1}{2} \epsilon^2 p_2^2 p_5 x_2^2 x_5 + \frac{(1+2T) \epsilon^2 p_2 p_5^2 x_2^2 x_5}{2T} - \\ & \frac{(1+T) \epsilon^2 p_5^3 x_2^2 x_5}{2T} - \frac{1}{2} \epsilon^2 p_2 p_5^2 x_2 x_5^2 + \frac{1}{2} \epsilon^2 p_5^3 x_2 x_5^2 + \epsilon p_3 x_6 + \frac{1}{2} \epsilon^2 p_3 x_6 - p_6 x_6 - \epsilon p_6 x_6 - \\ & \frac{1}{2} \epsilon^2 p_6 x_6 - \epsilon p_3^2 x_3 x_6 - \frac{3}{2} \epsilon^2 p_3^2 x_3 x_6 + \epsilon p_3 p_6 x_3 x_6 + \frac{3}{2} \epsilon^2 p_3 p_6 x_3 x_6 + \frac{1}{2} \epsilon^2 p_3^3 x_3^2 x_6 - \\ & \frac{1}{2} \epsilon^2 p_3^2 p_6 x_3 x_6 - \frac{(-1+T) \epsilon p_3^2 x_6^2}{2T} - \frac{(-3+T) \epsilon^2 p_3^2 x_6^2}{4T} + \frac{(-1+T) \epsilon p_3 p_6 x_6^2}{2T} + \frac{(-3+T) \epsilon^2 p_3 p_6 x_6^2}{4T} - \\ & \frac{(1+T) \epsilon^2 p_3^3 x_3 x_6^2}{2T} + \frac{(1+2T) \epsilon^2 p_3^2 p_6 x_3 x_6^2}{2T} - \frac{1}{2} \epsilon^2 p_3 p_6^2 x_3 x_6^2 - \frac{(-1+T) (1+3T) \epsilon^2 p_3^3 x_6^3}{6T^2} + \\ & \frac{(-1+T) (1+5T) \epsilon^2 p_3^2 p_6 x_6^3}{6T^2} - \frac{(-1+T) \epsilon^2 p_3 p_6^2 x_6^3}{3T} - p_7 x_7 + x_1 \underline{p}_2 + x_3 \underline{p}_4 + \frac{x_4 (-\underline{p}_2 + T \underline{p}_2 + \underline{p}_5)}{T} + \\ & x_5 \underline{p}_6 + \frac{x_2 (\underline{p}_3 - \underline{p}_6 + T \underline{p}_6)}{T} + \frac{x_6 (-\underline{p}_4 + T \underline{p}_4 + \underline{p}_7)}{T} + p_1 x_1 - \underline{p}_1 x_1 + p_2 x_2 - \underline{p}_2 x_2 + p_3 x_3 - \\ & \underline{p}_3 x_3 + p_4 x_4 - \underline{p}_4 x_4 - \frac{1}{2} \epsilon^2 \underline{p}_4 x_4 + \epsilon (1 + \underline{p}_4 x_4) + p_5 x_5 - \underline{p}_5 x_5 + p_6 x_6 - \underline{p}_6 x_6 + p_7 x_7 - \underline{p}_7 x_7 \Big] \end{aligned}$$

In[ $\#$ ] =  $\rho2vs[\text{Knot}[3, 1]]$

Out[ $\#$ ] =

$$\{p_1, p_2, p_3, p_4, p_5, p_6, p_7, x_1, x_2, x_3, x_4, x_5, x_6, x_7, \underline{p}_1, \underline{p}_2, \underline{p}_3, \underline{p}_4, \underline{p}_5, \underline{p}_6, \underline{p}_7, x_1, x_2, x_3, x_4, x_5, x_6, x_7\}$$

$$\mathbf{K} = \text{Knot}[3, 1]; \int \mathcal{L}[\mathbf{K}] \, d(\rho 2 vs @ \mathbf{K})$$

*Out[*]=

$$\frac{T \mathbb{E} \left[ \frac{(-1+T)^2 (1+T^2) \epsilon}{(1-T+T^2)^2} - \frac{T^2 (1-4 T^2+T^4) \epsilon^2}{2 (1-T+T^2)^4} \right]}{1-T+T^2}$$

*In[*]:=  $\text{T2z} [T^{-2} (1 - 4 T^2 + T^4)]$

*Out[*]=

$$-2 + 4 z^2 + z^4$$

*In[*]:=  $\text{Factor} @ (2 - 4 z^2 + 3 z^4 + 4 z^6 + z^8)$

*Out[*]=

$$2 - 4 z^2 + 3 z^4 + 4 z^6 + z^8$$

$$\mathbf{K} = \text{Knot}[5, 2]; \int \mathcal{L}[\mathbf{K}] \, d(\rho 2 vs @ \mathbf{K})$$

*Out[*]=

$$\frac{T \mathbb{E} \left[ \frac{(-1+T)^2 (5-4 T+5 T^2) \epsilon}{(2-3 T+2 T^2)^2} + \frac{(1-4 T+11 T^2-44 T^3+76 T^4-44 T^5+11 T^6-4 T^7+T^8) \epsilon^2}{2 (2-3 T+2 T^2)^4} \right]}{2-3 T+2 T^2}$$

*In[*]:=  $\text{T2z} [ (1 - 4 T + 11 T^2 - 44 T^3 + 76 T^4 - 44 T^5 + 11 T^6 - 4 T^7 + T^8) / T^4 ]$

*Out[*]=

$$4 - 20 z^2 + 7 z^4 + 4 z^6 + z^8$$

$$\mathbf{K} = \text{Knot}[8, 19]; \int \mathcal{L}[\mathbf{K}] \, d(\rho 2 vs @ \mathbf{K})$$

*Out[*]=

$$\frac{T^3 \mathbb{E} \left[ -\frac{(-1+T)^2 (1+T^4) (3+4 T^3+3 T^6) \epsilon}{(1-T+T^2)^2 (1-T^2+T^4)^2} \right]}{17179869184 \pi^{34} (1-T+T^3-T^5+T^6)}$$

## Concatenating edges

*In[*]:=  $\mathcal{L}[\text{Dot}, i]$

*Out[*]=

$$\mathbb{E} [-x_i (p_i - \underline{p}_{1+i})]$$

*In[*]:=  $\mathcal{L}[\varphi 2, i+1] /. \epsilon \rightarrow 0$

*Out[*]=

$$T^{\varphi 2/2} \mathbb{E} [ - (-p_{1+i} + \underline{p}_{1+i}) x_{1+i} ]$$

*In[*]:=  $(\mathbb{E} [\pi_i p_i] \mathcal{L}[\varphi 1, i] \mathcal{L}[\text{Dot}, i] \mathcal{L}[\varphi 2, i+1]) /. \epsilon \rightarrow 0$

*Out[*]=

$$T^{\frac{\varphi 1}{2} + \frac{\varphi 2}{2}} \mathbb{E} [ p_i \pi_i - x_i (p_i - \underline{p}_{1+i}) - (-p_i + \underline{p}_i) x_i - (-p_{1+i} + \underline{p}_{1+i}) x_{1+i} ]$$

$$\text{lhs} = \text{CF} \left[ \int (\mathbb{E} [\pi_i p_i] \mathcal{L} [\varphi 1, i] \mathcal{L} [\text{Dot}, i] \mathcal{L} [\varphi 2, i+1]) \text{d}\{x_i, p_i, x_{i+1}, p_{i+1}\} \right]$$

$$\text{rhs} = \int (\mathbb{E} [\pi_i p_i] \mathcal{L} [\varphi 1 + \varphi 2, i]) \text{d}\{x_i, p_i\}$$

$$\text{Out}[=] =$$

$$\frac{1}{4 \pi^2} T^{\frac{\varphi 1}{2} + \frac{\varphi 2}{2}} \mathbb{E} \left[ -p_i x_i - \frac{1}{2} \epsilon^2 \varphi 1^2 p_i x_i + p_{1+i} (\pi_i + x_i) - \epsilon \varphi 2 p_{1+i} (\pi_i + x_i) + \frac{1}{2} \epsilon^2 \varphi 2^2 p_{1+i} (\pi_i + x_i) + \frac{1}{2} \epsilon (\varphi 1 - \varphi 2 - 2 \varphi 1 p_i x_i) \right]$$

$$\text{Out}[=] =$$

$$-\frac{\frac{1}{2} T^{\frac{\varphi 1}{2} + \frac{\varphi 2}{2}} \mathbb{E} \left[ \frac{1}{2} \epsilon (-\varphi 1 - \varphi 2) + p_i \pi_i \right]}{2 \pi}$$

$$\text{In}[=] = \text{CF} [\mathbb{E} [\pi_i p_i] \mathcal{L} [\varphi 1 + \varphi 2, i]]$$

$$\text{Out}[=] =$$

$$T^{\frac{\varphi 1}{2} + \frac{\varphi 2}{2}} \mathbb{E} \left[ -p_i x_i - \frac{1}{2} \epsilon^2 (\varphi 1 + \varphi 2)^2 p_i x_i + p_i (\pi_i + x_i) - \frac{1}{2} \epsilon (\varphi 1 + \varphi 2) (-1 + 2 p_i x_i) \right]$$

## Invariance Under Reidemeister 3b

$$(\mathbb{E} [\pi_i p_i + \pi_j p_j + \pi_k p_k] \mathcal{L} [1, i, j] \mathcal{L} [1, i+1, k]$$

$$\mathcal{L} [1, j+1, k+1] \mathcal{L} [0, i+1] \mathcal{L} [0, j+1] \mathcal{L} [0, k+1]) /. \{\epsilon \rightarrow 0, T \rightarrow 1\}$$

$$\text{Out}[=] =$$

$$\mathbb{E} \left[ p_i \pi_i + p_j \pi_j + p_k \pi_k - x_i (p_i - p_{1+i}) - x_{1+i} (p_{1+i} - p_{2+i}) - x_j (p_j - p_{1+j}) - x_{1+j} (p_{1+j} - p_{2+j}) - x_k (p_k - p_{1+k}) - x_{1+k} (p_{1+k} - p_{2+k}) - (-p_{1+i} + p_{1+i}) x_{1+i} - (-p_{1+j} + p_{1+j}) x_{1+j} - (-p_{1+k} + p_{1+k}) x_{1+k} \right]$$

$$\text{In}[=] = \{x_i, x_j, x_k, p_i, p_j, p_k, vs_{i+1}, vs_{j+1}, vs_{k+1}, x_{i+2}, x_{j+2}, x_{k+2}, p_{i+2}, p_{j+2}, p_{k+2}\}$$

$$\text{Out}[=] =$$

$$\{x_i, x_j, x_k, p_i, p_j, p_k, x_{1+i}, p_{1+i}, x_{1+i}, p_{1+i}, x_{1+j}, p_{1+j},$$

$$x_{1+j}, p_{1+j}, x_{1+k}, p_{1+k}, x_{1+k}, p_{1+k}, x_{2+i}, p_{2+i}, x_{2+j}, p_{2+j}, x_{2+k}, p_{2+k}\}$$

$$\int (\mathbb{E} [\pi_i p_i + \pi_j p_j + \pi_k p_k] \mathcal{L} [1, i, j] \mathcal{L} [1, i+1, k] \mathcal{L} [1, j+1, k+1]$$

$$\mathcal{L} [0, i+1] \mathcal{L} [0, j+1] \mathcal{L} [0, k+1]) \text{d}\{x_i, x_j, x_k, p_i, p_j, p_k, vs_{i+1}, vs_{j+1}, vs_{k+1}\}$$

$\text{Out}[=]$

\$Aborted

$$\text{lhs} = \int (\mathbb{E} [\pi_i p_i + \pi_j p_j + \pi_k p_k] \mathcal{L} [1, i, j] \mathcal{L} [1, i+1, k] \mathcal{L} [1, j+1, k+1]$$

$$\mathcal{L} [0, i+1] \mathcal{L} [0, j+1] \mathcal{L} [0, k+1]) \text{d}\{x_i, x_j, x_k, p_i, p_j, p_k, vs_{i+1}, vs_{j+1}, vs_{k+1}\}$$

$$\text{rhs} = \int (\mathbb{E} [\pi_i p_i + \pi_j p_j + \pi_k p_k] \mathcal{L} [1, j, k] \mathcal{L} [1, i, k+1] \mathcal{L} [1, i+1, j+1] \mathcal{L} [0, i+1]$$

$$\mathcal{L} [0, j+1] \mathcal{L} [0, k+1]) \text{d}\{x_i, x_j, x_k, p_i, p_j, p_k, vs_{i+1}, vs_{j+1}, vs_{k+1}\};$$

$\text{lhs} == \text{rhs}$

$\text{Out}[=]$

$$-\frac{1}{512 \pi^9}$$


$$\begin{aligned}
& \pm T^{3/2} \mathbb{E} \left[ T^2 \pi_i p_{2+i} + T \pi_i p_{2+j} - T^2 \pi_i p_{2+j} + T \pi_j p_{2+j} + \pi_i p_{2+k} - T \pi_i p_{2+k} + \pi_j p_{2+k} - T \pi_j p_{2+k} + \pi_k p_{2+k} + \right. \\
& \frac{1}{2} \in \left( -3 + 2 T^2 \pi_i p_{2+j} - 2 T \pi_j p_{2+j} - T^3 \pi_i^2 p_{2+i} p_{2+j} + T^4 \pi_i^2 p_{2+i} p_{2+j} - 2 T^3 \pi_i \pi_j p_{2+i} p_{2+j} + \right. \\
& T^3 \pi_i^2 p_{2+j}^2 - T^4 \pi_i^2 p_{2+j}^2 + 2 T^3 \pi_i \pi_j p_{2+j}^2 + 2 T \pi_i p_{2+k} - 2 \pi_j p_{2+k} + 4 T \pi_j p_{2+k} - \\
& 4 \pi_k p_{2+k} - T^2 \pi_i^2 p_{2+i} p_{2+k} + T^3 \pi_i^2 p_{2+i} p_{2+k} - 2 T^2 \pi_i \pi_j p_{2+i} p_{2+k} + 2 T^3 \pi_i \pi_j p_{2+i} p_{2+k} - \\
& 2 T^2 \pi_i \pi_k p_{2+k} - T \pi_i^2 p_{2+j} p_{2+k} + 2 T^2 \pi_i^2 p_{2+j} p_{2+k} - T^3 \pi_i^2 p_{2+j} p_{2+k} - 2 T \pi_i \pi_j p_{2+j} p_{2+k} + \\
& 4 T^2 \pi_i \pi_j p_{2+j} p_{2+k} - 2 T^3 \pi_i \pi_j p_{2+j} p_{2+k} - T \pi_j^2 p_{2+j} p_{2+k} + T^2 \pi_j^2 p_{2+j} p_{2+k} - \\
& 2 T \pi_i \pi_k p_{2+j} p_{2+k} + 2 T^2 \pi_i \pi_k p_{2+j} p_{2+k} - 2 T \pi_j \pi_k p_{2+j} p_{2+k} + T \pi_i^2 p_{2+k}^2 - T^2 \pi_i^2 p_{2+k}^2 + \\
& 2 T \pi_i \pi_j p_{2+k}^2 - 2 T^2 \pi_i \pi_j p_{2+k}^2 + T \pi_j^2 p_{2+k}^2 - T^2 \pi_j^2 p_{2+k}^2 + 2 T \pi_i \pi_k p_{2+k}^2 + 2 T \pi_j \pi_k p_{2+k}^2 \Big) + \\
& \frac{1}{12} \epsilon^2 \left( -6 T^2 \pi_i p_{2+j} + 6 T \pi_j p_{2+j} + 3 T^3 \pi_i^2 p_{2+i} p_{2+j} - 9 T^4 \pi_i^2 p_{2+i} p_{2+j} + 18 T^3 \pi_i \pi_j p_{2+i} p_{2+j} + \right. \\
& 2 T^5 \pi_i^3 p_{2+i}^2 p_{2+j}^2 - 2 T^6 \pi_i^3 p_{2+i}^2 p_{2+j}^2 + 6 T^5 \pi_i^2 \pi_j p_{2+i}^2 p_{2+j} - 9 T^3 \pi_i^2 p_{2+j}^2 + 15 T^4 \pi_i^2 p_{2+j}^2 - \\
& 30 T^3 \pi_i \pi_j p_{2+j}^2 + 2 T^4 \pi_i^3 p_{2+i}^2 p_{2+j}^2 - 10 T^5 \pi_i^3 p_{2+i}^2 p_{2+j}^2 + 8 T^6 \pi_i^3 p_{2+i}^2 p_{2+j}^2 + 6 T^4 \pi_i^2 \pi_j p_{2+i}^2 p_{2+j}^2 - \\
& 24 T^5 \pi_i^2 \pi_j p_{2+i}^2 p_{2+j}^2 + 6 T^4 \pi_i \pi_j^2 p_{2+i}^2 p_{2+j}^2 - 2 T^4 \pi_i^3 p_{2+j}^3 + 8 T^5 \pi_i^3 p_{2+j}^3 - 6 T^6 \pi_i^3 p_{2+j}^3 - \\
& 6 T^4 \pi_i^2 \pi_j p_{2+j}^3 + 18 T^5 \pi_i^2 \pi_j p_{2+j}^3 - 6 T^4 \pi_i \pi_j^2 p_{2+j}^3 - 6 T \pi_i p_{2+k} + 6 \pi_j p_{2+k} - 24 T \pi_j p_{2+k} + \\
& 24 \pi_k p_{2+k} + 3 T^2 \pi_i^2 p_{2+i} p_{2+k} - 9 T^3 \pi_i^2 p_{2+i} p_{2+k} + 18 T^2 \pi_i \pi_j p_{2+i} p_{2+k} - 30 T^3 \pi_i \pi_j p_{2+i} p_{2+k} + \\
& 30 T^2 \pi_i \pi_k p_{2+i} p_{2+k} + 2 T^4 \pi_i^3 p_{2+i}^2 p_{2+k} - 2 T^5 \pi_i^3 p_{2+i}^2 p_{2+k} + 6 T^4 \pi_i^2 \pi_j p_{2+i} p_{2+k} - \\
& 6 T^5 \pi_i^2 \pi_j p_{2+i}^2 p_{2+k} + 6 T^4 \pi_i^2 \pi_k p_{2+i}^2 p_{2+k} + 3 T \pi_i^2 p_{2+j} p_{2+k} - 18 T^2 \pi_i^2 p_{2+j} p_{2+k} + \\
& 15 T^3 \pi_i^2 p_{2+j} p_{2+k} + 18 T \pi_i \pi_j p_{2+j} p_{2+k} - 60 T^2 \pi_i \pi_j p_{2+j} p_{2+k} + 42 T^3 \pi_i \pi_j p_{2+j} p_{2+k} + \\
& 15 T \pi_j^2 p_{2+j} p_{2+k} - 21 T^2 \pi_j^2 p_{2+j} p_{2+k} + 30 T \pi_i \pi_k p_{2+j} p_{2+k} - 42 T^2 \pi_i \pi_k p_{2+j} p_{2+k} + \\
& 42 T \pi_j \pi_k p_{2+j} p_{2+k} + 10 T^3 \pi_i^3 p_{2+i} p_{2+j} p_{2+k} - 20 T^4 \pi_i^3 p_{2+i} p_{2+j} p_{2+k} + 10 T^5 \pi_i^3 p_{2+i} p_{2+j} p_{2+k} + \\
& 30 T^3 \pi_i^2 \pi_j p_{2+i} p_{2+j} p_{2+k} - 54 T^4 \pi_i^2 \pi_j p_{2+i} p_{2+j} p_{2+k} + 24 T^5 \pi_i^2 \pi_j p_{2+i} p_{2+j} p_{2+k} + \\
& 24 T^3 \pi_i \pi_j^2 p_{2+i} p_{2+j} p_{2+k} - 24 T^4 \pi_i \pi_j^2 p_{2+i} p_{2+j} p_{2+k} + 24 T^3 \pi_i^2 \pi_k p_{2+i} p_{2+j} p_{2+k} - \\
& 24 T^4 \pi_i^2 \pi_k p_{2+i} p_{2+j} p_{2+k} + 36 T^3 \pi_i \pi_j \pi_k p_{2+i} p_{2+j} p_{2+k} + 2 T^2 \pi_i^3 p_{2+j}^2 p_{2+k} - 12 T^3 \pi_i^3 p_{2+j}^2 p_{2+k} + \\
& 18 T^4 \pi_i^3 p_{2+j}^2 p_{2+k} - 8 T^5 \pi_i^3 p_{2+j}^2 p_{2+k} + 6 T^2 \pi_i^2 \pi_j p_{2+j}^2 p_{2+k} - 36 T^3 \pi_i^2 \pi_j p_{2+j}^2 p_{2+k} + \\
& 48 T^4 \pi_i^2 \pi_j p_{2+j}^2 p_{2+k} - 18 T^5 \pi_i^2 \pi_j p_{2+j}^2 p_{2+k} + 6 T^2 \pi_i \pi_j^2 p_{2+j}^2 p_{2+k} - 30 T^3 \pi_i \pi_j^2 p_{2+j}^2 p_{2+k} + \\
& 24 T^4 \pi_i \pi_j^2 p_{2+j}^2 p_{2+k} + 2 T^2 \pi_j^3 p_{2+j}^2 p_{2+k} - 2 T^3 \pi_j^3 p_{2+j}^2 p_{2+k} + 6 T^2 \pi_i^2 \pi_k p_{2+j}^2 p_{2+k} - \\
& 24 T^3 \pi_i^2 \pi_k p_{2+j}^2 p_{2+k} + 18 T^4 \pi_i^2 \pi_k p_{2+j}^2 p_{2+k} + 12 T^2 \pi_i \pi_j \pi_k p_{2+j}^2 p_{2+k} - 36 T^3 \pi_i \pi_j \pi_k p_{2+j}^2 p_{2+k} + \\
& 6 T^2 \pi_j^2 \pi_k p_{2+j}^2 p_{2+k} - 9 T \pi_i^2 p_{2+k}^2 + 15 T^2 \pi_i^2 p_{2+k}^2 - 30 T \pi_i \pi_j p_{2+k}^2 + 42 T^2 \pi_i \pi_j p_{2+k}^2 - 21 T \pi_j^2 p_{2+k}^2 + \\
& 27 T^2 \pi_j^2 p_{2+k}^2 - 42 T \pi_i \pi_k p_{2+k}^2 - 54 T \pi_j \pi_k p_{2+k}^2 + 2 T^2 \pi_i^3 p_{2+i} p_{2+k}^2 - 10 T^3 \pi_i^3 p_{2+i} p_{2+k}^2 + \\
& 8 T^4 \pi_i^3 p_{2+i} p_{2+k}^2 + 6 T^2 \pi_i^2 \pi_j p_{2+i} p_{2+k}^2 - 30 T^3 \pi_i^2 \pi_j p_{2+i} p_{2+k}^2 + 24 T^4 \pi_i^2 \pi_j p_{2+i} p_{2+k}^2 + \\
& 6 T^2 \pi_i \pi_j^2 p_{2+i} p_{2+k}^2 - 24 T^3 \pi_i \pi_j^2 p_{2+i} p_{2+k}^2 + 18 T^4 \pi_i \pi_j^2 p_{2+i} p_{2+k}^2 + 6 T^2 \pi_i^2 \pi_k p_{2+i} p_{2+k}^2 - \\
& 24 T^3 \pi_i^2 \pi_k p_{2+i} p_{2+k}^2 + 12 T^2 \pi_i \pi_j \pi_k p_{2+i} p_{2+k}^2 - 36 T^3 \pi_i \pi_j \pi_k p_{2+i} p_{2+k}^2 + 6 T^2 \pi_i \pi_j^2 p_{2+i} p_{2+k}^2 + \\
& 2 T \pi_i^3 p_{2+j} p_{2+k}^2 - 12 T^2 \pi_i^3 p_{2+j} p_{2+k}^2 + 18 T^3 \pi_i^3 p_{2+j} p_{2+k}^2 - 8 T^4 \pi_i^3 p_{2+j} p_{2+k}^2 + 6 T \pi_i^2 \pi_j p_{2+j} p_{2+k}^2 - \\
& 36 T^2 \pi_i^2 \pi_j p_{2+j} p_{2+k}^2 + 54 T^3 \pi_i^2 \pi_j p_{2+j} p_{2+k}^2 - 24 T^4 \pi_i^2 \pi_j p_{2+j} p_{2+k}^2 + 6 T \pi_i \pi_j^2 p_{2+j} p_{2+k}^2 - \\
& 36 T^2 \pi_i \pi_j^2 p_{2+j} p_{2+k}^2 + 48 T^3 \pi_i \pi_j^2 p_{2+j} p_{2+k}^2 - 18 T^4 \pi_i \pi_j^2 p_{2+j} p_{2+k}^2 + 2 T \pi_j^3 p_{2+j} p_{2+k}^2 - \\
& 10 T^2 \pi_j^3 p_{2+j} p_{2+k}^2 + 8 T^3 \pi_j^3 p_{2+j} p_{2+k}^2 + 6 T \pi_i^2 \pi_k p_{2+j} p_{2+k}^2 - 30 T^2 \pi_i^2 \pi_k p_{2+j} p_{2+k}^2 +
\end{aligned}$$

$$\begin{aligned}
& 24 T^3 \pi_i^2 \pi_k p_{2+j}^2 p_{2+k}^2 + 12 T \pi_i \pi_j \pi_k p_{2+j} p_{2+k}^2 - 60 T^2 \pi_i \pi_j \pi_k p_{2+j} p_{2+k}^2 + 36 T^3 \pi_i \pi_j \pi_k p_{2+j} p_{2+k}^2 + \\
& 6 T \pi_j^2 \pi_k p_{2+j} p_{2+k}^2 - 24 T^2 \pi_j^2 \pi_k p_{2+j} p_{2+k}^2 + 6 T \pi_i \pi_k^2 p_{2+j} p_{2+k}^2 - 6 T^2 \pi_i \pi_k^2 p_{2+j} p_{2+k}^2 + \\
& 6 T \pi_j \pi_k^2 p_{2+j} p_{2+k}^2 - 2 T \pi_i^3 p_{2+k}^3 + 8 T^2 \pi_i^3 p_{2+k}^3 - 6 T^3 \pi_i^3 p_{2+k}^3 - 6 T \pi_i^2 \pi_j p_{2+k}^3 + 24 T^2 \pi_i^2 \pi_j p_{2+k}^3 - \\
& 18 T^3 \pi_i^2 \pi_j p_{2+k}^3 - 6 T \pi_i \pi_j^2 p_{2+k}^3 + 24 T^2 \pi_i \pi_j^2 p_{2+k}^3 - 18 T^3 \pi_i \pi_j^2 p_{2+k}^3 - 2 T \pi_j^3 p_{2+k}^3 + \\
& 8 T^2 \pi_j^3 p_{2+k}^3 - 6 T^3 \pi_j^3 p_{2+k}^3 - 6 T \pi_i \pi_k p_{2+k}^3 + 18 T^2 \pi_i \pi_k p_{2+k}^3 - 12 T \pi_i \pi_j \pi_k p_{2+k}^3 + \\
& 36 T^2 \pi_i \pi_j \pi_k p_{2+k}^3 - 6 T \pi_j^2 \pi_k p_{2+k}^3 + 18 T^2 \pi_j^2 \pi_k p_{2+k}^3 - 6 T \pi_i \pi_k^2 p_{2+k}^3 - 6 T \pi_j \pi_k^2 p_{2+k}^3 \Big) \Big]
\end{aligned}$$

Out[8]=

True

## Invariance Under Reidemeister 2b



$$\begin{aligned}
In[9]:= & \text{lhs} = \int (\mathbb{E} [\pi_i p_i + \pi_j p_j] \mathcal{L}[1, i, j] \mathcal{L}[-1, i+1, j+1] \mathcal{L}[0, i+1] \mathcal{L}[0, j+1]) \\
& \text{d}\{x_i, x_j, p_i, p_j, vs_{i+1}, vs_{j+1}\}
\end{aligned}$$

Out[9]=

$$\frac{\mathbb{E} [\pi_i p_{2+i} + \pi_j p_{2+j}]}{64 \pi^6}$$

$$\begin{aligned}
In[10]:= & \text{rhs} = \int (\mathbb{E} [\pi_i p_i + \pi_j p_j] \mathcal{L}[0, i+1] \mathcal{L}[0, j+1]) \mathcal{L}[\text{Dot}, i] \\
& \mathcal{L}[\text{Dot}, j] \mathcal{L}[\text{Dot}, i+1] \mathcal{L}[\text{Dot}, j+1] \text{d}\{x_i, x_j, p_i, p_j, vs_{i+1}, vs_{j+1}\} \\
& \text{lhs} == \text{rhs}
\end{aligned}$$


Out[10]=

$$\frac{\mathbb{E} [\pi_i p_{2+i} + \pi_j p_{2+j}]}{64 \pi^6}$$

Out[11]=

True

## Invariance Under R2



```
In[]:= lhs = Integrate[Expectation[\pi_i p_i + \pi_j p_j] L[-1, i, j+1] L[1, i+1, j] L[0, i+1] L[1, j+1]], {x_i, x_j, p_i, p_j, vs_{i+1}, vs_{j+1}}]

Out[]:= 


$$\frac{\sqrt{T} \mathbb{E} \left[ \pi_i p_{2+i} + \pi_j p_{2+j} + \frac{1}{2} \epsilon^2 \pi_j p_{2+j} + \frac{1}{2} \in \left( -1 - 2 \pi_j p_{2+j} \right) \right]}{64 \pi^6}$$


In[]:= rhs = Integrate[Expectation[\pi_i p_i + \pi_j p_j] L[Dot, i] L[Dot, j] L[Dot, i+1] L[Dot, j+1] L[0, i+1] L[1, j+1]], {x_i, x_j, p_i, p_j, vs_{i+1}, vs_{j+1}}];

lhs == rhs

Out[]:= True
```

## Invariance Under R1




```
lhs = Integrate[Expectation[\pi_i p_i] L[1, i+1, i] L[0, i] L[1, i+1]], {x_i, p_i, x_{i+1}, p_{i+1}}]

rhs = Integrate[Expectation[\pi_i p_i] L[0, i] L[0, i+1]], {x_i, p_i, x_{i+1}, p_{i+1}};

lhs == rhs
```

## Invariance Under R1r




```
lhs = Integrate[Expectation[\pi_i p_i] L[1, i, i+1] L[0, i] L[-1, i+1]], {x_i, p_i, x_{i+1}, p_{i+1}}]

rhs = Integrate[Expectation[\pi_i p_i] L[0, i] L[0, i+1]], {x_i, p_i, x_{i+1}, p_{i+1}};

lhs == rhs
```

## Invariance Under Sw



**CF** /@ { $\mathcal{L}[1, j]$ ,  $\mathcal{L}[1, i, j]$ }

**lhs** =

$$\int (\mathbb{E} [\pi_i p_i + \pi_j p_j + \epsilon \pi_{i+1} p_{i+1} + \epsilon \pi_{j+1} p_{j+1} + \xi_{i+1} x_{i+1} + \xi_{j+1} x_{j+1}] \mathcal{L}[1, i, j] \mathcal{L}[-1, i] \mathcal{L}[1, i+1] \\ \mathcal{L}[-1, j] \mathcal{L}[1, j+1]) d\{x_i, x_j, p_i, p_j, x_{i+1}, x_{j+1}, p_{i+1}, p_{j+1}\}$$

$$\mathbf{rhs} = \int (\mathbb{E} [\pi_i p_i + \pi_j p_j + \epsilon \pi_{i+1} p_{i+1} + \epsilon \pi_{j+1} p_{j+1} + \xi_{i+1} x_{i+1} + \xi_{j+1} x_{j+1}] \mathcal{L}[1, i, j] \mathcal{L}[0, i] \\ \mathcal{L}[0, i+1] \mathcal{L}[0, j] \mathcal{L}[0, j+1]) d\{x_i, x_j, p_i, p_j, x_{i+1}, x_{j+1}, p_{i+1}, p_{j+1}\};$$

**lhs** == **rhs**