

Run

```
In[*]:= res = 800;
SetDirectory[
  "C:\\drorbn\\Album\\2026.01.10_Simcoe_-_Jarvis_-_Selkirk_-_Port_Dover_Loop"];
fs = FileNames["*.gpx"]
data = DeleteCases[
  Union@Table["Geometry" /. Import[f, "Data"], {f, fs}],
  GeoPosition[{}, None]], ∞
];
map0 = GeoGraphics[{Red, data}, GeoScaleBar → "Kilometers", ImageSize → res];
AllTracks = Get["../Summaries/AllTracks.m"];
```

```
Out[*]=
{2026-01-10_2746131015_Simcoe - Jarvis - Selkirk - Port Dover Loop.gpx}
```

```
» C:\drorbn\Album\Summaries
```

```
» C:\drorbn\Album\2026.01.10_Simcoe_-_Jarvis_-_Selkirk_-_Port_Dover_Loop
```

```
In[*]:= Rasterize[
  map = GeoGraphics[{Thickness[0.0016], Blue, AllTracks, Thickness[0.0024], Red, data},
    GeoScaleBar → "Kilometers",
    ImageSize → res,
    GeoRange → (GeoRange /. Options[map0])
  ],
  RasterSize → res
]
Export["Path%.png", map];
```

```
Out[*]=
```




```
In[*]:= (*map3D=Echo@ResourceFunction["GeoElevationGraphics3D"] [
  {Thick, Blue, AllTracks, Red, data},
  GeoGridRangePadding→0,
  GeoScaleBar→"Kilometers",
  ImageSize ->res,
  GeoRange->(GeoRange /. Options[map0])
];
Export["Path3D.png", map3D] *)
```

```

In[ ]:= PathsLocation = Module[{R = 3000, r = 25, n = 6, res = 1000},
  ImageAssemble[
    Partition[#, 3] &@Table[
      Rasterize[
        GeoGraphics[
          {Blue, Thickness[(2 n - k) / 4000], AllTracks, Red, Thickness[(2 n - k) / 1500], data},
          GeoCenter → Mean@Cases[data, GeoPosition[L_List] :> Mean[L], ∞],
          GeoRange → Quantity[R (r / R)^(k-1) / (n-1), "Kilometers"],
          GeoScaleBar → "Kilometers",
          ImageSize → res
        ],
        RasterSize → res
      ],
      {k, n}],
    "Fit", Background → White]
  ]
Export["PathLocation.png", PathsLocation]
ResetDirectory[]

```

Out[]:=



Out[]:=

PathLocation.png

Out[]:=

C:\Users\drorb

Image Directory

```

folder = "C:\\drorbn\\Album\\2026.01.10_Simcoe_-_Jarvis_-_Selkirk_-_Port_Dover_Loop";
SetDirectory[folder];
If[Head[PensieveDirectives] === List,
  ImageComments = "ImageComments" /. PensieveDirectives, ImageComments = {}];
(Interpretation[ImageResize[Import@#, 400], #] → (# /. ImageComments /. (# → ""))) & /@
  FileNames["*.jpg" | "*.jpeg" | "*.png" | "*.mp4"]
ResetDirectory[]

```

Export

91.3km, riding Marli, with temperatures in the 0-4C range. It was a hard day! I'm a bit out of shape, and I picked the wrong bike (it was mostly paved roads, the the lighter and nimbler Bromp would have been better), and I didn't sleep enough the night before. Often that not a problem - I just stop somewhere and take a nap. But you can't do it when it's cold! Plus, the forecast was for rain starting at 3pm, making a short winter day even shorter. I could barely take breaks.

<p>It did rain on me some at the very end, and I got a bit wet. But I've been a lot more wet on rides before. Oy.

```

PensieveDirectives = {
  "TitleNotes" →
    "91.3km, riding <a href=../Equipment/Marli/index.html>Marli</a>, with temperatures
    in the 0-4C range. It was a hard day! In the winter I'm a bit out of shape,
    and I picked the wrong bike (it was mostly paved roads and the lighter
    and nimbler <a href=../Equipment/Bromp/index.html>Bromp</a> would have
    been better), and I didn't sleep enough the night before. Often that's
    not a problem - I just stop somewhere and take a nap. But you can't do
    that when it's cold! Plus, the forecast was for rain starting at 3pm,
    making a short winter day even shorter. I could barely take breaks.
    <p>It did rain on me some at the very end, and I got
    a bit wet. But I've gotten a lot more wet on rides before. <a
    href=../2025.03.07_San_Gabriel_Mountains_Ride/index.html>Oy</a>.",
  "ImageComments" → {}
}

```

Out[]=

```
{TitleNotes → , ImageComments → {}}
```